

Entità ISO ed entità HTML gestite da Alml



Alfabeti simbolici	1110
Alfabeti latini	1132
Alfabeti non latini	1139
HTML	1145
Riferimenti	1157

Nel seguito vengono mostrate alcune tabelle e alcuni listati che riportano lo stato attuale della capacità di Alml di rappresentare le entità ISO e le entità HTML standard. A seconda del tipo di composizione utilizzato si può notare la presenza o l'assenza di alcuni simboli.

In questi elenchi sono annotati anche i punti di codifica corrispondenti; tuttavia, è possibile notare che uno stesso punto di codifica può essere associato a entità differenti.

Si osservi che le attribuzioni ai punti di codifica possono essere errate, pertanto potrebbero cambiare in futuro.

È importante osservare che i caratteri riferiti a dei linguaggi non latini, richiedono la selezione del linguaggio stesso, eventualmente anche con l'uso degli elementi '**span**' e '**div**'. Questo dovrebbe chiarire il significato della presenza di due gruppi di alfabeti greci: ISOgrk1 e ISOgrk2 sono riferiti alla lingua greca, mentre ISOgrk3

e ISOgrk4 sono alfabeti simbolici indipendenti dal linguaggio con il quale vengono utilizzati.

In generale, dal momento che l'insieme di caratteri universale non fa queste distinzioni, se il sorgente SGML viene scritto utilizzando codici che possono essere associati a simboli in contesti differenti, viene scelto prima quello che è attribuibile a una lingua. Per esempio, il punto di codifica U+03B1 viene convertito nella lettera greca «α» corrispondente alla macro '&agr;', che però deve essere usata nell'ambito della lingua greca: 'α'. In mancanza di questa accortezza, nella composizione per la stampa si otterrebbe la lettera latina «a», che rappresenta la sua traslitterazione.

Alfabeti simbolici

«

Gli elenchi di questa sezione riguardano gli alfabeti simbolici, che **non dovrebbero** dipendere dal linguaggio utilizzato. Tuttavia, in pratica, simboli come «+», «=», «&» e «@», possono apparire diversi dal solito, quando si usano linguaggi che prevedono un alfabeto non latino.

Tabella u79.1. Entità ISO 8879:1986 ISOpub: *publishing*.

Punto di codifica	Macro SGML	Descrizione
U+2003	 	em space
U+2002	 	en space
U+2004	 	=1/3-em space
U+2005	 	=1/4-em space
U+2007	 	=digit space (width of a number)

Pun- to di co- difica	Macro SGML					Descrizione
U+2008	 					=punctuation space (width of comma)
U+2009	 					thin space
U+200A	 					=hair space
U+2014	—	—	—	—	--	em dash
U+2013	–	-	-	-	-	en dash
U+2010	‐	-	-	-	-	=hyphen (true graphic)
U+2423	␣	□	□	□	□	=significant blank symbol
U+2026	…	…	…	…	…	horizontal ellipsis = three dot leader
U+2025	‥	=double baseline dot (en leader)
U+2153	⅓	1/3	1/3	1/3	1/3	=fraction one-third
U+2154	⅔	2/3	2/3	2/3	2/3	=fraction two-thirds
U+2155	⅕	1/5	1/5	1/5	1/5	=fraction one-fifth
U+2156	⅖	2/5	2/5	2/5	2/5	=fraction two-fifths
U+2157	⅗	3/5	3/5	3/5	3/5	=fraction three-fifths
U+2158	⅘	4/5	4/5	4/5	4/5	=fraction four-fifths
U+2159	⅙	1/6	1/6	1/6	1/6	=fraction one-sixth
U+215A	⅚	5/6	5/6	5/6	5/6	=fraction five-sixths
U+2105	℅	c/o	c/o	c/o	c/o	=in-care-of symbol
U+2588	█	□	□	□	□	=full block
U+2580	▀	□	□	□	□	=upper half block
U+2584	▄	□	□	□	□	=lower half block
U+2591	░	□	□	□	□	=25% shaded block
U+2592	▒	□	□	□	□	=50% shaded block
U+2593	▓	□	□	□	□	=75% shaded block
U+25AE	▮	□	□	□	□	=histogram marker
U+25CB	○	□	□	□	□	/circ B: =circle, open
U+25A1	&sq;	□	□	□	□	=square, open
U+25AD	▭	□	□	□	□	=rectangle, open
U+25B5	▵	□	□	□	□	/triangle =up triangle, open
U+25BF	▿	□	□	□	□	/triangledown =down triangle, open
U+22C6	☆	*	*	*	*	=star, open

Pun- to di co- difica	Macro SGML					Descrizione
U+2022	•	•	•	•	•	bullet = black small circle
U+25AA	&sqf;	◼	◼	◼	◼	/blacksquare, square, filled
U+25B4	▴	◻	◻	◻	◻	/blacktriangle =up tri, filled
U+25BE	▾	◻	◻	◻	◻	/blacktriangledown =dn tri, filled
U+25C2	◂	◻	◻	◻	◻	/blacktriangleleft R: =l tri, filled
U+25B8	▸	◻	◻	◻	◻	/blacktriangleright R: =r tri, filled
U+2663	♣	♣	♣	♣	♣	black club suit = shamrock
U+2666	♦	♦	♦	♦	♦	black diamond suit
U+2665	♥	♥	♥	♥	♥	black heart suit = valentine
U+2660	♠	♠	♠	♠	♠	black spade suit
U+2720	✠	⌘	⌘	⌘	⌘	/maltese =maltese cross
U+2020	†	†	†	†	†	dagger
U+2021	‡	‡	‡	‡	‡	double dagger
U+2713	✓	✓	✓	✓	✓	/checkmark =tick, check mark
U+2717	✗	✕	✕	✕	✕	=ballot cross
U+266F	♯	♯	♯	♯	♯	/sharp =musical sharp
U+266D	♭	♭	♭	♭	♭	/flat =musical flat
U+2642	♂	♂	♂	♂	♂	=male symbol
U+2640	♀	♀	♀	♀	♀	=female symbol
U+260E	☎	☎	☎	☎	☎	=telephone symbol
U+2315	⌕	☎	☎	☎	☎	=telephone recorder symbol
U+2117	℗	©	©	©	©	=sound recording copyright sign
U+2041	⁁	^	^	^	^	=caret (insertion mark)
U+201A	‚	‘	‘	‘	‘	single low-9 quotation mark
U+201E	„	”	”	”	”	double low-9 quotation mark
U+FB00	ﬀ	ff	<i>ff</i>	ff	ff	small ff ligature
U+FB01	ﬁ	fi	<i>fi</i>	fi	fi	small fi ligature
	fj	fj	<i>fj</i>	fj	fj	small fj ligature
U+FB03	ﬃ	ffi	<i>ffi</i>	ffi	ffi	small ffi ligature
U+FB04	ﬄ	ffl	<i>ffl</i>	ffl	ffl	small ffl ligature
U+FB02	&flilig;	fl	<i>fl</i>	fl	fl	small fl ligature

Pun- to di co- difica	Macro SGML					Descrizione
U+2026	…	em leader
U+201C	”	“	“	“	”	rising dbl quote, right (high)
U+2018	’	‘	‘	‘	’	rising single quote, right (high)
U+22EE	⋮	⋮	⋮	⋮	⋮	vertical ellipsis
U+2043	⁃	◻	◻	◻	◻	rectangle, filled (hyphen bullet)
U+25CA	◊	◊	◊	◊	◊	lozenge
U+2726	&lozfi;	◆	◆	◆	◆	/blacklozenge - lozenge, filled
U+25C3	◃	◻	◻	◻	◻	/triangleleft B: l triangle, open
U+25B9	▹	◻	◻	◻	◻	/triangleright B: r triangle, open
U+2605	★	★	★	★	★	/bigstar - star, filled
U+266E	♮	♮	♮	♮	♮	/natural - music natural
U+211E	℞	◻	◻	◻	◻	pharmaceutical prescription (Rx)
U+2736	✶	✳	✳	✳	✳	sextile (6-pointed star)
U+2316	⌖	◻	◻	◻	◻	register mark or target
U+230D	⌍	◻	◻	◻	◻	downward left crop mark
U+230C	⌌	◻	◻	◻	◻	downward right crop mark
U+230F	⌏	◻	◻	◻	◻	upward left crop mark
U+230E	⌎	◻	◻	◻	◻	upward right crop mark

Tabella u79.2. Entità ISO 8879:1986 ISOnum: *numeric and special graphic*.

Pun- to di co- difica	Macro SGML					Descrizione
U+00BD	½	½	½	½	½	vulgar fraction one half = fraction one half
U+00BC	¼	¼	¼	¼	¼	vulgar fraction one quarter = fraction one quarter
U+00BE	¾	¾	¾	¾	¾	vulgar fraction three quarters = fraction three quarters
U+215B	⅛	1/8	1/8	1/8	1/8	=fraction one-eighth
U+215C	⅜	3/8	3/8	3/8	3/8	=fraction three-eighths
U+215D	⅝	5/8	5/8	5/8	5/8	=fraction five-eighths

Pun- to di co- difica	Macro SGML					Descrizione
U+215E	⅞	7/8	7/8	7/8	7/8	=fraction seven-eighths
U+00B9	¹	1	1	1	1	superscript one = superscript digit one
U+00B2	²	2	2	2	2	superscript two = superscript digit two = squared
U+00B3	³	3	3	3	3	superscript three = superscript digit three = cubed
U+002B	+	+	+	+	+	=plus sign
U+00B1	±	±	±	±	±	plus-minus sign = plus-or-minus sign
U+003C	<	<	<	<	<	less-than sign
U+003D	=	=	=	=	=	=equals sign R:
U+003E	>	>	>	>	>	greater-than sign
U+00F7	÷	÷	÷	÷	÷	division sign
U+00D7	×	×	×	×	×	multiplication sign
U+00A4	¤	□	□	□	□	currency sign
U+00A3	£	£	£	£	£	pound sign
U+0024	$	\$	\$	\$	\$	=dollar sign
U+00A2	¢	¢	¢	¢	¢	cent sign
U+00A5	¥	¥	¥	¥	¥	yen sign = yuan sign
U+0023	#	#	#	#	#	=number sign
U+0025	%	%	%	%	%	=percent sign
U+0026	&	&	&	&	&	ampersand
U+002A	*	*	*	*	*	/ast B: asterisk
U+0040	@	@	@	@	@	=commercial at
U+005B	[[[[[/lbrack O: =left square bracket
U+005C	\	\	\	\	\	/backslash =reverse solidus
U+005D]]]]]	/rbrack C: =right square bracket
U+007B	{	{	{	{	{	/lbrace O: =left curly bracket
U+2015	―	□	□	□	□	=horizontal bar
U+007C	|			 	 	/vert =vertical bar
U+007D	}	}	}	}	}	/rbrace C: =right curly bracket
U+00B5	µ	μ	μ	μ	μ	micro sign
U+2126	Ω	Ω	Ω	Ω	Ω	=ohm sign

Pun- to di co- difica	Macro SGML					Descrizione
U+00B0	°	◦	◦	◦	◦	degree sign
U+00BA	º	◌ ^o	◌ ^o	◌ ^o	◌ ^o	masculine ordinal indicator
U+00AA	ª	◌ ^a	◌ ^a	◌ ^a	◌ ^a	feminine ordinal indicator
U+00A7	§	§	§	§	§	section sign
U+00B6	¶	¶	¶	¶	¶	pilcrow sign = paragraph sign
U+00B7	·	·	·	·	·	middle dot = Georgian comma = Greek middle dot
U+2190	←	←	←	←	←	leftwards arrow
U+2192	→	→	→	→	→	rightwards arrow
U+2191	↑	↑	↑	↑	↑	upwards arrow
U+2193	↓	↓	↓	↓	↓	downwards arrow
U+00A9	©	©	©	©	©	copyright sign
U+00AE	®	®	®	®	®	registered sign = registered trade mark sign
U+2122	™	™	™	™	™	trade mark sign
U+00A6	¦					broken bar = broken vertical bar
U+00AC	¬	¬	¬	¬	¬	not sign
U+2669	♪	□	□	□	□	=music note (sung text sign)
U+0021	!	!	!	!	!	=exclamation mark
U+00A1	¡	¡	¡	¡	¡	inverted exclamation mark
U+0022	"	"	"	"	"	quotation mark = APL quote
U+0027	'	'	'	'	'	=apostrophe
U+0028	(((((O: =left parenthesis
U+0029)))))	C: =right parenthesis
U+002C	,	,	,	,	,	P: =comma
U+005F	_	—	—	—	—	=low line
U+002D	‐	-	-	-	-	=hyphen
U+002E	=full stop, period
U+002F	/	/	/	/	/	=solidus
U+003A	:	:	:	:	:	/colon P:
U+003B	;	;	;	;	;	=semicolon P:
U+003F	?	?	?	?	?	=question mark

Pun- to di co- difica	Macro SGML					Descrizione
U+00BF	¿	ı	ı	ı	ı	inverted question mark = turned question mark
U+00AB	«	«	«	«	«	left-pointing double angle quotation mark = left pointing guillemet
U+00BB	»	»	»	»	»	right-pointing double angle quotation mark = right pointing guillemet
U+2018	‘	‘	‘	‘	’	left single quotation mark
U+2019	’	’	’	’	’	right single quotation mark
U+201C	“	“	“	“	”	left double quotation mark
U+201D	”	”	”	”	”	right double quotation mark
U+00A0	 					no-break space = non-breaking space
U+00AD	­					soft hyphen = discretionary hyphen

Tabella u79.3. Entità ISO 8879:1986 ISObox: *box and line drawing*.

Pun- to di co- difica	Macro SGML					Descrizione
U+2500	─	-	-	-	-	horizontal line
U+2502	│					vertical line
U+2514	└	‘	‘	‘	’	upper right quadrant
U+2518	┘	’	’	’	’	upper left quadrant
U+2510	┐	·	·	·	·	lower left quadrant
U+250C	┌	·	·	·	·	lower right quadrant
U+251C	├					upper and lower right quadrants
U+2534	┴	□	□	□	□	upper left and right quadrants
U+2524	┤					upper and lower left quadrants
U+252C	┬	□	□	□	□	lower left and right quadrants
U+253C	┼	□	□	□	□	all four quadrants
U+255E	╞	□	□	□	□	upper and lower right quadrants
U+2567	╨	□	□	□	□	upper left and right quadrants
U+2561	╡	□	□	□	□	upper and lower left quadrants
U+2564	╥	□	□	□	□	lower left and right quadrants

Pun- to di co- difica	Macro SGML					Descrizione
U+256A	╪	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	all four quadrants
U+2550	═	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	horizontal line
U+2551	║	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	vertical line
U+2558	╚	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper right quadrant
U+255B	╝	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper left quadrant
U+2555	╗	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower left quadrant
U+2552	╔	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower right quadrant
U+255F	╠	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper and lower right quadrants
U+2568	╩	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper left and right quadrants
U+2562	╣	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper and lower left quadrants
U+2565	╦	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower left and right quadrants
U+256B	╬	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	all four quadrants
U+2560	╟	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper and lower right quadrants
U+2569	╧	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper left and right quadrants
U+2563	╢	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper and lower left quadrants
U+2566	╤	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower left and right quadrants
U+256V	╫	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	all four quadrants
U+2559	╘	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper right quadrant
U+255C	╜	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper left quadrant
U+2556	╕	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower left quadrant
U+2553	╓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower right quadrant
U+255A	╙	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper right quadrant
U+255D	╛	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	upper left quadrant
U+2557	&boxdI;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower left quadrant
U+2554	╒	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lower right quadrant

Tabella u79.4. Entità ISO 8879:1986 ISOtech: *general technical*.

Pun- to di co- difica	Macro SGML					Descrizione
U+2135	ℵ	ℵ	ℵ	ℵ	ℵ	alef symbol = first transfinite cardinal
U+2227	∧	∧	∧	∧	∧	logical and = wedge

Pun- to di co- difica	Macro SGML					Descrizione
U+221F	&ang90;	□	□	□	□	right (90 degree) angle
U+2222	∢	◁	◁	◁	◁	/sphericalangle angle-spherical
U+2248	≈	≈	≈	≈	≈	/approx R: approximate
U+2235	∵	∴	∴	∴	∴	/because R: because
U+22A5	⊥	⊥	⊥	⊥	⊥	/bot bottom
U+2229	∩	∩	∩	∩	∩	intersection = cap
U+2245	≅	≅	≅	≅	≅	approximately equal to
U+222E	∮	∮	∮	∮	∮	/oint L: contour integral operator
U+222A	∪	∪	∪	∪	∪	union = cup
U+2261	≡	≡	≡	≡	≡	identical to
U+2203	∃	∃	∃	∃	∃	there exists
U+2200	∀	∀	∀	∀	∀	for all
U+0192	ƒ	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	latin small f with hook = function = florin
U+2265	≥	≥	≥	≥	≥	greater-than or equal to
U+21D4	⇔	↔	↔	↔	↔	/iff if and only if
U+221E	∞	∞	∞	∞	∞	infinity
U+222B	∫	∫	∫	∫	∫	integral
U+220A	∈	□	□	□	□	element of
U+3008	⟨	◁	◁	◁	◁	left-pointing angle bracket = bra
U+21D0	⇐	⇐	⇐	⇐	⇐	leftwards double arrow
U+2264	≤	≤	≤	≤	≤	less-than or equal to
U+2212	−	-	-	-	-	minus sign
U+2213	∓	∓	∓	∓	∓	/mp B: minus-or-plus sign
U+2207	∇	∇	∇	∇	∇	nabla = backward difference
U+2260	≠	≠	≠	≠	≠	not equal to
U+220D	∋	□	□	□	□	contains as member
U+2228	∨	∨	∨	∨	∨	logical or = vee
U+2225	∥	∥	∥	∥	∥	/parallel R: parallel
U+2202	∂	∂	∂	∂	∂	partial differential
U+2030	‰	‰	‰	‰	‰	per mille sign
U+22A5	⊥	⊥	⊥	⊥	⊥	up tack = orthogonal to = perpendicular

Pun- to di co- difica	Macro SGML					Descrizione
U+2032	′	'	'	'	'	prime = minutes = feet
U+2033	″	"	"	"	"	double prime = seconds = inches
U+221D	∝	∞	∞	∞	∞	proportional to
U+221A	√	√	√	√	√	square root = radical sign
U+3009	⟩	□	□	□	□	right-pointing angle bracket = ket
U+21D2	⇒	⇒	⇒	⇒	⇒	rightwards double arrow
U+223C	∼	~	~	~	~	tilde operator = varies with = similar to
U+2243	≃	≈	≈	≈	≈	/simeq R: similar, equals
U+25A1	□	□	□	□	□	/square, square
U+2282	⊂	⊂	⊂	⊂	⊂	subset of
U+2286	⊆	⊆	⊆	⊆	⊆	subset of or equal to
U+2283	⊃	⊃	⊃	⊃	⊃	superset of
U+2287	⊇	⊇	⊇	⊇	⊇	superset of or equal to
U+2234	∴	∴	∴	∴	∴	therefore
U+2016	‖	□	□	□	□	/Vert dbl vertical bar
U+212B	Å	Å	Å	Å	Å	Angstrom capital A, ring
U+212C	ℬ	<i>B</i>	<i>B</i>	<i>B</i>	<i>B</i>	Bernoulli function (script capital B)
U+2218	∘	◦	◦	◦	◦	/circ B: composite function (small circle)
U+00A8	¨	¨	¨	¨	¨	dieresis or umlaut mark
U+20DC	⃜	□	□	□	□	four dots above
U+210B	ℋ	<i>ℋ</i>	<i>ℋ</i>	<i>ℋ</i>	<i>ℋ</i>	Hamiltonian (script capital H)
U+2112	ℒ	<i>ℒ</i>	<i>ℒ</i>	<i>ℒ</i>	<i>ℒ</i>	Lagrangian (script capital L)
U+2217	∗	*	*	*	*	asterisk operator
U+2209	∉	∉	∉	∉	∉	not an element of
U+2134	ℴ	<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	order of (script small o)
U+2133	ℳ	<i>ℳ</i>	<i>ℳ</i>	<i>ℳ</i>	<i>ℳ</i>	physics M-matrix (script capital M)
U+20DB	⃛	□	□	□	□	three dots above
U+2034	‴	'''	'''	'''	'''	triple prime
U+2259	&wedgq;	□	□	□	□	/wedgq R: corresponds to (wedge, equals)

Tabella u79.5. Entità ISO 8879:1986 ISOgrk3: *greek symbols*.

Pun- to di co- difica	Macro SGML					Descrizione
U+03B1	α	α	α	α	α	greek small letter alpha
U+03B2	β	β	β	β	β	greek small letter beta
U+03B3	γ	γ	γ	γ	γ	greek small letter gamma
U+0393	Γ	Γ	Γ	Γ	Γ	greek capital letter gamma
U+03DC	ϝ	\digamma	\digamma	\digamma	\digamma	/digamma
U+03B4	δ	δ	δ	δ	δ	greek small letter delta
U+0394	Δ	Δ	Δ	Δ	Δ	greek capital letter delta
U+03B5	ε	ϵ	ϵ	ϵ	ϵ	greek small letter epsilon
	ϵ	ε	ε	ε	ε	/varepsilon
U+220A	ε	ϵ	ϵ	ϵ	ϵ	/straightepsilon, small epsilon, Greek
U+03B6	ζ	ζ	ζ	ζ	ζ	greek small letter zeta
U+03B7	η	η	η	η	η	greek small letter eta
U+03B8	&thetas;	θ	θ	θ	θ	greek small letter theta
U+0398	Θ	Θ	Θ	Θ	Θ	greek capital letter theta
U+03D1	ϑ	ϑ	ϑ	ϑ	ϑ	greek small letter theta symbol
U+03B9	ι	ι	ι	ι	ι	greek small letter iota
U+03BA	κ	κ	κ	κ	κ	greek small letter kappa
U+03F0	ϰ	\varkappa	\varkappa	\varkappa	\varkappa	/varkappa
U+03BB	λ	λ	λ	λ	λ	greek small letter lambda
U+039B	Λ	Λ	Λ	Λ	Λ	greek capital letter lambda
U+03BC	μ	μ	μ	μ	μ	greek small letter mu
U+03BD	ν	ν	ν	ν	ν	greek small letter nu
U+03BE	ξ	ξ	ξ	ξ	ξ	greek small letter xi
U+039E	Ξ	Ξ	Ξ	Ξ	Ξ	greek capital letter xi
U+03C0	π	π	π	π	π	greek small letter pi
U+03D6	ϖ	ϖ	ϖ	ϖ	ϖ	greek pi symbol
U+03A0	Π	Π	Π	Π	Π	greek capital letter pi
U+03C1	ρ	ρ	ρ	ρ	ρ	greek small letter rho
U+03F1	ϱ	ϱ	ϱ	ϱ	ϱ	/varrho
U+03C3	σ	σ	σ	σ	σ	greek small letter sigma

Pun- to di co- difica	Macro SGML					Descrizione
U+03A3	Σ	Σ	Σ	Σ	Σ	greek capital letter sigma
U+03C2	ς	ς	ς	ς	ς	greek small letter final sigma
U+03C4	τ	τ	τ	τ	τ	greek small letter tau
U+03C5	&upsil;	υ	υ	υ	υ	greek small letter upsilon
U+03D2	ϒ	Υ	Υ	Υ	Υ	greek upsilon with hook symbol
U+03C6	&phis;	φ	φ	φ	φ	greek small letter phi
U+03A6	Φ	Φ	Φ	Φ	Φ	greek capital letter phi
U+03D5	ϕ	ϕ	ϕ	ϕ	ϕ	/varphi - curly or open phi
U+03C7	χ	χ	χ	χ	χ	greek small letter chi
U+03C8	ψ	ψ	ψ	ψ	ψ	greek small letter psi
U+03A8	Ψ	Ψ	Ψ	Ψ	Ψ	greek capital letter psi
U+03C9	ω	ω	ω	ω	ω	greek small letter omega
U+03A9	Ω	Ω	Ω	Ω	Ω	greek capital letter omega

Tabella u79.6. Entità ISO 8879:1986 ISOgrk4: *alternative greek symbols*.

Pun- to di co- difica	Macro SGML					Descrizione
U+03B1	&b.alpha;	α	α	α	α	small alpha, Greek
U+03B2	&b.beta;	β	β	β	β	small beta, Greek
U+03B3	&b.gamma;	γ	γ	γ	γ	small gamma, Greek
U+0393	&b.Gamma;	Γ	Γ	Γ	Γ	capital Gamma, Greek
U+03DC	&b.gammad;	Ϝ	Ϝ	Ϝ	Ϝ	digamma
U+03B4	&b.delta;	δ	δ	δ	δ	small delta, Greek
U+0394	&b.Delta;	Δ	Δ	Δ	Δ	capital Delta, Greek
U+03B5	&b.epsi;	ε	ε	ε	ε	=small epsilon, Greek
U+03B5	&b.epsiv;	ε	ε	ε	ε	variant epsilon
U+03B5	&b.opsis;	ε	ε	ε	ε	small epsilon, Greek
U+03B6	&b.zeta;	ζ	ζ	ζ	ζ	small zeta, Greek
U+03B7	&b.eta;	η	η	η	η	small eta, Greek
U+03B8	&b.thetas;	θ	θ	θ	θ	straight theta, small theta, Greek

Pun- to di co- difica	Macro SGML					Descrizione
U+0398	&b.Theta;	Θ	Θ	Θ	Θ	capital Theta, Greek
U+03D1	&b.thetav;	ϑ	ϑ	ϑ	ϑ	variant theta - curly or open theta
U+03B9	&b.iota;	ι	ι	ι	ι	small iota, Greek
U+03BA	&b.kappa;	κ	κ	κ	κ	small kappa, Greek
U+03F0	&b.kappav;	ϰ	ϰ	ϰ	ϰ	variant kappa
U+03BB	&b.lambda;	λ	λ	λ	λ	small lambda, Greek
U+039B	&b.Lambda;	Λ	Λ	Λ	Λ	capital Lambda, Greek
U+03BC	&b.mu;	μ	μ	μ	μ	small mu, Greek
U+03BD	&b.nu;	ν	ν	ν	ν	small nu, Greek
U+03BE	&b.xi;	ξ	ξ	ξ	ξ	small xi, Greek
U+039E	&b.Xi;	Ξ	Ξ	Ξ	Ξ	capital Xi, Greek
U+03C0	&b.pi;	π	π	π	π	small pi, Greek
U+03A0	&b.Pi;	Π	Π	Π	Π	capital Pi, Greek
U+03D6	&b.piv;	ϖ	ϖ	ϖ	ϖ	variant pi
U+03C1	&b.rho;	ρ	ρ	ρ	ρ	small rho, Greek
U+03F1	&b.rhov;	ϱ	ϱ	ϱ	ϱ	variant rho
U+03C3	&b.sigma;	σ	σ	σ	σ	small sigma, Greek
U+03A3	&b.Sigma;	Σ	Σ	Σ	Σ	capital Sigma, Greek
U+03C2	&b.sigmav;	ς	ς	ς	ς	variant sigma
U+03C4	&b.tau;	τ	τ	τ	τ	small tau, Greek
U+03C5	&b.upsilon;	υ	υ	υ	υ	small upsilon, Greek
U+03D2	&b.Upsi;	Υ	Υ	Υ	Υ	capital Upsilon, Greek
U+03C6	&b.phis;	φ	φ	φ	φ	straight phi, small phi, Greek
U+03A6	&b.Phi;	Φ	Φ	Φ	Φ	capital Phi, Greek
U+03D5	&b.phiv;	ϕ	ϕ	ϕ	ϕ	variant phi - curly or open phi
U+03C7	&b.chi;	χ	χ	χ	χ	small chi, Greek
U+03C8	&b.psi;	ψ	ψ	ψ	ψ	small psi, Greek
U+03A8	&b.Psi;	Ψ	Ψ	Ψ	Ψ	capital Psi, Greek
U+03C9	&b.omega;	ω	ω	ω	ω	small omega, Greek
U+03A9	&b.Omega;	Ω	Ω	Ω	Ω	capital Omega, Greek

Tabella u79.7. Entità ISO 8879:1986 ISOamso: *added math symbols: ordinary.*

Pun- to di co- difica	Macro SGML					Descrizione
U+2220	∠	∠	∠	∠	∠	angle
U+2221	∡	∠	∠	∠	∠	/measuredangle - angle-measured
U+2136	ℶ	ב	ב	ב	ב	/beth - beth, Hebrew
U+2035	‵	◻	◻	◻	◻	/backprime - reverse prime
U+2201	∁	◻	◻	◻	◻	/complement - complement sign
U+2138	ℸ	ד	ד	ד	ד	/daleth - daleth, Hebrew
U+2113	ℓ	ℓ	ℓ	ℓ	ℓ	/ell - cursive small l
U+2205	∅	∅	∅	∅	∅	empty set = null set = diameter
U+2137	ℷ	ג	ג	ג	ג	/gimel - gimel, Hebrew
U+2111	ℑ	ℑ	ℑ	ℑ	ℑ	blackletter capital I = imaginary part
U+0131	ı	ı	ı	ı	ı	/imath - small i, no dot
	&jnodot;	Ƶ	Ƶ	Ƶ	Ƶ	/jmath - small j, no dot
U+2204	∄	∄	∄	∄	∄	/nexists - negated exists
U+24C8	Ⓢ	◻	◻	◻	◻	/circledS - capital S in circle
U+210F	ℏ	ℏ	ℏ	ℏ	ℏ	/hbar - Planck's over 2pi
U+211C	ℜ	℞	℞	℞	℞	blackletter capital R = real part symbol
U+FE68	&sbsol;	↯	↯	↯	↯	/sbs - short reverse solidus
U+2032	&vprime;	′	′	′	′	/varprime - prime, variant
U+2118	℘	ℙ	ℙ	ℙ	ℙ	script capital P = power set = Weierstrass p

Tabella u79.8. Entità ISO 8879:1986 ISOamsb: *added math symbols: binary operators.*

Pun- to di co- difica	Macro SGML					Descrizione
U+2210	⨿	∐	∐	∐	∐	/amalg B: amalgamation or coproduct
U+2306	⌆	◻	◻	◻	◻	/doublebarwedge B: log and, dbl bar above
U+22BC	⌅	⌞	⌞	⌞	⌞	/barwedge B: logical and, bar above

Pun- to di co- difica	Macro SGML					Descrizione
U+22D2	⋒	⊞	⊞	⊞	⊞	/Cap /doublecap B: dbl intersection
U+22D3	⋓	⊞	⊞	⊞	⊞	/Cup /doublecup B: dbl union
U+22CE	⋎	∩	∩	∩	∩	/curlyvee B: curly logical or
U+22CF	⋏	∩	∩	∩	∩	/curlywedge B: curly logical and
U+22C4	⋄	◇	◇	◇	◇	/diamond B: open diamond
U+22C7	⋇	∗	∗	∗	∗	/divideontimes B: division on times
U+22BA	⊺	⊞	⊞	⊞	⊞	/intercal B: intercal
U+22CB	⋋	∩	∩	∩	∩	/leftthreetimes B:
U+22C9	⋉	⊞	⊞	⊞	⊞	/ltimes B: times sign, left closed
U+229F	⊟	⊞	⊞	⊞	⊞	/boxminus B: minus sign in box
U+229B	⊛	⊞	⊞	⊞	⊞	/circledast B: asterisk in circle
U+229A	⊚	⊞	⊞	⊞	⊞	/circledcirc B: small circle in circle
U+229D	⊝	⊞	⊞	⊞	⊞	/circleddash B: hyphen in circle
U+2299	⊙	⊞	⊞	⊞	⊞	/odot B: middle dot in circle
U+2296	⊖	⊞	⊞	⊞	⊞	/ominus B: minus sign in circle
U+2295	⊕	⊞	⊞	⊞	⊞	circled plus = direct sum
U+2298	⊘	⊞	⊞	⊞	⊞	/oslash B: solidus in circle
U+2297	⊗	⊞	⊞	⊞	⊞	circled times = vector product
U+229E	⊞	⊞	⊞	⊞	⊞	/boxplus B: plus sign in box
U+2214	∔	⊞	⊞	⊞	⊞	/dotplus B: plus sign, dot above
U+22CC	⋌	∩	∩	∩	∩	/rightthreetimes B:
U+22CA	⋊	⊞	⊞	⊞	⊞	/rtimes B: times sign, right closed
U+22C5	⋅	·	·	·	·	dot operator
U+22A1	⊡	⊞	⊞	⊞	⊞	/dotsquare /boxdot B: small dot in box
U+2216	∖	∩	∩	∩	∩	/setminus B: reverse solidus
U+2293	⊓	⊞	⊞	⊞	⊞	/sqcap B: square intersection
U+2294	⊔	⊞	⊞	⊞	⊞	/sqcup B: square union
U+2216	∖	∩	∩	∩	∩	/smallsetminus B: sm reverse solidus
U+22C6	⋆	∗	∗	∗	∗	/star B: small star, filled
U+22A0	⊠	⊞	⊞	⊞	⊞	/boxtimes B: multiply sign in box
U+22A4	⊤	⊞	⊞	⊞	⊞	/top top

Pun- to di co- difica	Macro SGML					Descrizione
U+228E	⊎	⊕	⊕	⊕	⊕	/uplus B: plus sign in union
U+2240	≀	⋈	⋈	⋈	⋈	/wr B: wreath product
U+25CB	◯	◯	◯	◯	◯	/bigcirc B: large circle
U+25BD	▽	▾	▾	▾	▾	/bigtriangledown B: big dn tri, open
U+25B3	△	▴	▴	▴	▴	/bigtriangleup B: big up tri, open
U+2210	∐	∏	∏	∏	∏	/coprod L: coproduct operator
U+220F	∏	∏	∏	∏	∏	n-ary product = product sign
U+2211	∑	∑	∑	∑	∑	n-ary sumation

Tabella u79.9. Entità ISO 8879:1986 ISOamsr: *added math symbols: relations.*

Pun- to di co- difica	Macro SGML					Descrizione
U+224A	≊	≈	≈	≈	≈	/approxeq R: approximate, equals
U+224D	≈	≈	≈	≈	≈	almost equal to = asymptotic to
U+224C	≌	⊂	⊂	⊂	⊂	/backcong R: reverse congruent
U+220D	϶	⊂	⊂	⊂	⊂	/backepsilon R: such that
U+22C8	⋈	⋈	⋈	⋈	⋈	/bowtie R:
U+223D	∽	≈	≈	≈	≈	/backsim R: reverse similar
U+22CD	&bsimeq;	≈	≈	≈	≈	/backsimeq R: reverse similar, eq
U+224E	≎	≈	≈	≈	≈	/Bumpeq R: bumpy equals
U+224F	≏	≈	≈	≈	≈	/bumpeq R: bumpy equals, equals
U+2257	≗	⊆	⊆	⊆	⊆	/circeq R: circle, equals
U+2254	≔	⊆	⊆	⊆	⊆	/coloneq R: colon, equals
U+22DE	⋞	≈	≈	≈	≈	/curlyeqprec R: curly eq, precedes
U+22DF	⋟	≈	≈	≈	≈	/curlyeqsucc R: curly eq, succeeds
U+227C	&cupre;	≈	≈	≈	≈	/preccurlyeq R: precedes, curly eq
U+22A3	⊣	⊥	⊥	⊥	⊥	/dashv R: dash, vertical
U+2256	ê	⊆	⊆	⊆	⊆	/eqcirc R: circle on equals sign
U+2255	≕	⊆	⊆	⊆	⊆	/eqcolon R: equals, colon
U+2251	≑	⋮	⋮	⋮	⋮	/doteqdot /Doteq R: eq, even dots

Pun- to di co- difica	Macro SGML					Descrizione
U+2250	≐	≐	≐	≐	≐	/doteq R: equals, single dot above
U+2252	≒	≑	≑	≑	≑	/fallingdotseq R: eq, falling dots
U+22DD	⪖	◻	◻	◻	◻	/eqslantgtr R: equal-or-gtr, slanted
U+22DC	⪕	◻	◻	◻	◻	/eqslantless R: eq-or-less, slanted
U+2253	≓	≒	≒	≒	≒	/risingdotseq R: eq, rising dots
U+22D4	⋔	⌋	⌋	⌋	⌋	/pitchfork R: pitchfork
U+2322	⌢	◻	◻	◻	◻	/frown R: down curve
U+2273	⪆	⋈	⋈	⋈	⋈	/gtrapprox R: greater, approximate
U+22D7	&gsdot;	⋈	⋈	⋈	⋈	/gtrdot R: greater than, with dot
U+2267	≧	≧	≧	≧	≧	/geqq R: greater, double equals
U+22DB	⋛	≧	≧	≧	≧	/gtreqless R: greater, equals, less
U+22DB	⪌	≧	≧	≧	≧	/gtreqqless R: gt, dbl equals, less
U+2273	⩾	≧	≧	≧	≧	/geqslant R: gt-or-equal, slanted
U+22D9	⋙	≫	≫	≫	≫	/ggg /Gg /gggtr R: triple gtr-than
U+2277	≷	≧	≧	≧	≧	/gtrless R: greater, less
U+2273	≳	⋈	⋈	⋈	⋈	/gtrsim R: greater, similar
U+226B	≫	≫	≫	≫	≫	/gg R: dbl greater-than sign
U+2272	⪅	⋈	⋈	⋈	⋈	/lessapprox R: less, approximate
U+22D6	&ldot;	⋈	⋈	⋈	⋈	/lessdot R: less than, with dot
U+2266	&IE;	≧	≧	≧	≧	/leqq R: less, double equals
U+22DA	&IEg;	≧	≧	≧	≧	/lesseqqgtr R: less, dbl eq, greater
U+22DA	⋚	≧	≧	≧	≧	/lesseqgtr R: less, eq, greater
U+2264	⩽	≦	≦	≦	≦	/leqslant R: less-than-or-eq, slant
U+2276	≶	≦	≦	≦	≦	/lessgtr R: less, greater
U+22D8	⋘	≪	≪	≪	≪	/Ll /lll /llless R: triple less-than
U+2272	≲	⋈	⋈	⋈	⋈	/lesssim R: less, similar
U+226A	≪	≪	≪	≪	≪	/ll R: double less-than sign
U+22B4	⊴	◁	◁	◁	◁	/triangleleft R: left triangle, eq
U+2223	∣					/mid R:
U+22A7	⊧	◻	◻	◻	◻	/models R:
U+227A	≺	⋈	⋈	⋈	⋈	/prec R: precedes

Pun- to di co- difica	Macro SGML					Descrizione
U+227E	⪷	\approx	\approx	\approx	\approx	/precapprox R: precedes, approximate
U+227C	⪯	\approx	\approx	\approx	\approx	/preceq R: precedes, equals
U+227E	≾	\approx	\approx	\approx	\approx	/precsim R: precedes, similar
U+22B5	⊵	\triangleright	\triangleright	\triangleright	\triangleright	/trianglerighteq R: right tri, eq
U+2210	&samalg;	\amalg	\amalg	\amalg	\amalg	/smallamalg R: small amalg
U+227B	≻	\succ	\succ	\succ	\succ	/succ R: succeeds
U+227F	⪸	\approx	\approx	\approx	\approx	/succapprox R: succeeds, approximate
U+227D	&sccl;	\succ	\succ	\succ	\succ	/succurlyeq R: succeeds, curly eq
U+227D	⪰	\succ	\succ	\succ	\succ	/succeq R: succeeds, equals
U+227F	≿	\approx	\approx	\approx	\approx	/succsim R: succeeds, similar
U+2322	⌢	\sqcap	\sqcap	\sqcap	\sqcap	/smallfrown R: small down curve
U+E301	∣	\sqcap	\sqcap	\sqcap	\sqcap	/shortmid R:
U+2323	⌣	\sqcap	\sqcap	\sqcap	\sqcap	/smile R: up curve
U+2225	∥	\parallel	\parallel	\parallel	\parallel	/shortparallel R: short parallel
U+228F	⊏	\sqsubset	\sqsubset	\sqsubset	\sqsubset	/sqsubset R: square subset
U+2291	⊑	\sqsubseteq	\sqsubseteq	\sqsubseteq	\sqsubseteq	/sqsubseteq R: square subset, equals
U+2290	⊐	\sqsupset	\sqsupset	\sqsupset	\sqsupset	/sqsupset R: square superset
U+2292	⊒	\sqsupseteq	\sqsupseteq	\sqsupseteq	\sqsupseteq	/sqsupseteq R: square superset, eq
U+2323	⌣	\sqcap	\sqcap	\sqcap	\sqcap	/smallsmile R: small up curve
U+22D0	⋐	\subseteq	\subseteq	\subseteq	\subseteq	/Subset R: double subset
U+2286	⫅	\subseteq	\subseteq	\subseteq	\subseteq	/subseteqq R: subset, dbl equals
U+22D1	⋑	\supseteq	\supseteq	\supseteq	\supseteq	/Supset R: dbl superset
U+2287	⫆	\supseteq	\supseteq	\supseteq	\supseteq	/supseteqq R: superset, dbl equals
U+2248	≈	\approx	\approx	\approx	\approx	/thickapprox R: thick approximate
U+223C	∼	\sim	\sim	\sim	\sim	/thicksim R: thick similar
U+225C	≜	\triangleq	\triangleq	\triangleq	\triangleq	/triangleq R: triangle, equals
U+226C	≬	\oslash	\oslash	\oslash	\oslash	/between R: between
U+22A2	⊢	\vdash	\vdash	\vdash	\vdash	/vdash R: vertical, dash
U+22A9	⊩	\Vdash	\Vdash	\Vdash	\Vdash	/Vdash R: dbl vertical, dash
U+22A8	⊨	\square	\square	\square	\square	/vDash R: vertical, dbl dash
U+22BB	⊻	\veebar	\veebar	\veebar	\veebar	/veebar B: logical or, bar below

Pun- to di co- difica	Macro SGML					Descrizione
U+22B2	⊲	\triangleleft	\triangleleft	\triangleleft	\triangleleft	/vartriangleleft R: l tri, open, var
U+221D	∝	\propto	\propto	\propto	\propto	/varpropto R: proportional, variant
U+22B3	⊳	\triangleright	\triangleright	\triangleright	\triangleright	/vartriangleright R: r tri, open, var
U+22AA	⊪	\equiv	\equiv	\equiv	\equiv	/Vvdash R: triple vertical, dash

Tabella u79.10. Entità ISO 8879:1986 ISOamsn: *added math symbols: negated relations.*

Pun- to di co- difica	Macro SGML					Descrizione
U+E411	⪊	\square	\square	\square	\square	/gnapprox N: greater, not approximate
U+2269	⪈	$\not\geq$	$\not\geq$	$\not\geq$	$\not\geq$	/gneq N: greater, not equals
U+2269	≩	$\not\geq$	$\not\geq$	$\not\geq$	$\not\geq$	/gneqq N: greater, not dbl equals
U+22E7	⋧	$\not\gtrsim$	$\not\gtrsim$	$\not\gtrsim$	$\not\gtrsim$	/gnsim N: greater, not similar
U+2269	≩︀	$\not\geq$	$\not\geq$	$\not\geq$	$\not\geq$	/gvertneqq N: gt, vert, not dbl eq
U+E2A2	⪉	\square	\square	\square	\square	/lnapprox N: less, not approximate
U+2268	≨	$\not\leq$	$\not\leq$	$\not\leq$	$\not\leq$	/lneqq N: less, not double equals
U+2268	⪇	$\not\leq$	$\not\leq$	$\not\leq$	$\not\leq$	/lneq N: less, not equals
U+22E6	⋦	$\not\lesssim$	$\not\lesssim$	$\not\lesssim$	$\not\lesssim$	/lnsim N: less, not similar
U+2268	≨︀	$\not\leq$	$\not\leq$	$\not\leq$	$\not\leq$	/lvertneqq N: less, vert, not dbl eq
U+2249	≉	$\not\approx$	$\not\approx$	$\not\approx$	$\not\approx$	/napprox N: not approximate
U+2247	≇	$\not\cong$	$\not\cong$	$\not\cong$	$\not\cong$	/ncong N: not congruent with
U+2262	≢	$\not\equiv$	$\not\equiv$	$\not\equiv$	$\not\equiv$	/nequiv N: not identical with
U+2271	≧̸	$\not\geq$	$\not\geq$	$\not\geq$	$\not\geq$	/ngeqq N: not greater, dbl equals
U+2271	≱	$\not\geq$	$\not\geq$	$\not\geq$	$\not\geq$	/ngeq N: not greater-than-or-equal
U+2271	⩾̸	$\not\geq$	$\not\geq$	$\not\geq$	$\not\geq$	/ngeqslant N: not gt-or-eq, slanted
U+226F	≯	$\not>$	$\not>$	$\not>$	$\not>$	/ngtr N: not greater-than
U+2270	≰	$\not\leq$	$\not\leq$	$\not\leq$	$\not\leq$	/nleq N: not less-than-or-equal
U+2270	&nleE;	$\not\leq$	$\not\leq$	$\not\leq$	$\not\leq$	/nleqq N: not less, dbl equals
U+2270	⩽̸	$\not\leq$	$\not\leq$	$\not\leq$	$\not\leq$	/nleqslant N: not less-or-eq, slant
U+226E	≮	$\not<$	$\not<$	$\not<$	$\not<$	/nless N: not less-than
U+22EA	&nltr;	\triangleleft	\triangleleft	\triangleleft	\triangleleft	/ntriangleleft N: not left triangle

Pun- to di co- difica	Macro SGML					Descrizione
U+22EC	⋬	\ntriangleleft	\ntriangleleft	\ntriangleleft	\ntriangleleft	/ntrianglelefteq N: not l tri, eq
U+2224	∤	†	†	†	†	/nmid
U+2226	∦	∥	∥	∥	∥	/nparallel N: not parallel
U+2280	⊀	⋈	⋈	⋈	⋈	/nprec N: not precedes
U+22E0	⪯̸	⋈	⋈	⋈	⋈	/npreceq N: not precedes, equals
U+22EB	&nrttri;	▷	▷	▷	▷	/ntriangleright N: not rt triangle
U+22ED	&nrttrie;	▷	▷	▷	▷	/ntrianglerighteq N: not r tri, eq
U+2281	⊁	⋈	⋈	⋈	⋈	/nsucc N: not succeeds
U+22E1	⪰̸	⋈	⋈	⋈	⋈	/nsucceq N: not succeeds, equals
U+2241	≁	≈	≈	≈	≈	/nsim N: not similar
U+2244	≄	≈	≈	≈	≈	/nsimeq N: not similar, equals
U+E2AA	∤	□	□	□	□	/nshortmid
U+2226	∦	∥	∥	∥	∥	/nshortparallel N: not short par
U+2284	⊄	⊄	⊄	⊄	⊄	not a subset of
U+2288	⊈	⊄	⊄	⊄	⊄	/nsubseteq N: not subset, equals
U+2288	⫅̸	⊄	⊄	⊄	⊄	/nsubseteqq N: not subset, dbl eq
U+2285	⊅	⊇	⊇	⊇	⊇	not superset
U+2289	⫆̸	⊇	⊇	⊇	⊇	/nsupseteqq N: not superset, dbl eq
U+2289	⊉	⊇	⊇	⊇	⊇	/nsupseteq N: not superset, equals
U+22AC	⊬	□	□	□	□	/nvdash N: not vertical, dash
U+22AD	⊭	□	□	□	□	/nvDash N: not vertical, dbl dash
U+22AF	⊯	□	□	□	□	/nVDash N: not dbl vert, dbl dash
U+22AE	⊮	⋈	⋈	⋈	⋈	/nVdash N: not dbl vertical, dash
U+22E8	⪹	⋈	⋈	⋈	⋈	/precnapprox N: precedes, not approx
U+E2B3	⪵	□	□	□	□	/precneqq N: precedes, not dbl eq
U+22E8	⋨	⋈	⋈	⋈	⋈	/precnsim N: precedes, not similar
U+22E9	⪺	⋈	⋈	⋈	⋈	/succnapprox N: succeeds, not approx
U+E2B5	⪶	□	□	□	□	/succneqq N: succeeds, not dbl eq
U+22E9	⋩	⋈	⋈	⋈	⋈	/succnsim N: succeeds, not similar
U+228A	⊊	⊆	⊆	⊆	⊆	/subsetneq N: subset, not equals
U+228A	⫋	⊆	⊆	⊆	⊆	/subsetneqq N: subset, not dbl eq

Pun- to di co- difica	Macro SGML					Descrizione
U+228B	⊋	\supsetneq	\supsetneq	\supsetneq	\supsetneq	/supsetneq N: superset, not equals
U+228B	⫌	\supsetneqq	\supsetneqq	\supsetneqq	\supsetneqq	/supsetneqq N: superset, not dbl eq
U+E2B8	⫋︀	\varsubsetneqq	\varsubsetneqq	\varsubsetneqq	\varsubsetneqq	/varsubsetneqq N: subset not dbl eq, var
U+228A	⊊︀	\subsetneq	\subsetneq	\subsetneq	\subsetneq	/varsubsetneq N: subset, not eq, var
U+228B	⊋︀	\supsetneq	\supsetneq	\supsetneq	\supsetneq	/varsupsetneq N: superset, not eq, var
U+228E	⫌︀	\supsetneqq	\supsetneqq	\supsetneqq	\supsetneqq	/varsupsetneqq N: super not dbl eq, var

Tabella u79.11. Entità ISO 8879:1986 ISOamsa: *added math symbols: arrow relations.*

Pun- to di co- difica	Macro SGML					Descrizione
U+21B6	↶	\curvearrowleft	\curvearrowleft	\curvearrowleft	\curvearrowleft	/curvearrowleft A: left curved arrow
U+21B7	↷	\curvearrowright	\curvearrowright	\curvearrowright	\curvearrowright	/curvearrowright A: rt curved arrow
U+21D3	⇓	\Downarrow	\Downarrow	\Downarrow	\Downarrow	downwards double arrow
U+21CA	&darr2;	\Downarrow	\Downarrow	\Downarrow	\Downarrow	/downdownarrows A: two down arrows
U+21C3	&dharrl;	\Downarrow	\Downarrow	\Downarrow	\Downarrow	/downharpoonleft A: dn harpoon-left
U+21C2	⇂	\Downarrow	\Downarrow	\Downarrow	\Downarrow	/downharpoonright A: down harpoon-rt
U+21DA	⇚	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/Lleftarrow A: left triple arrow
U+219E	↞	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/twoheadleftarrow A:
U+21C7	&larr2;	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/leftleftarrows A: two left arrows
U+21A9	↩	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/hookleftarrow A: left arrow-hooked
U+21AB	↫	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/looparrowleft A: left arrow-looped
U+21A2	↢	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/leftarrowtail A: left arrow-tailed
U+21BD	↽	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/leftharpoondown A: l harpoon-down
U+21BC	↼	\Leftarrow	\Leftarrow	\Leftarrow	\Leftarrow	/leftharpoonup A: left harpoon-up
U+21D4	⇔	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	left right double arrow
U+2194	↔	\leftrightarrow	\leftrightarrow	\leftrightarrow	\leftrightarrow	left right arrow
U+21C6	&lrarr2;	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	/leftrightarrows A: l arr over r arr
U+21C4	&rlarr2;	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	/rightleftarrows A: r arr over l arr
U+21AD	↭	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	/leftrightsquigarrow A: l&r arr-wavy
U+21CC	&rlhar2;	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	\Leftrightarrow	/rightleftharpoons A: r harp over l

Pun- to di co- difica	Macro SGML					Descrizione
U+21CB	&lhar2;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/leftrightharpoons A: l harp over r
U+21B0	↰	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/Lsh A:
U+21A6	↦	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/mapsto A:
U+22B8	⊸	\circ	\circ	\circ	\circ	/multimap A:
U+2197	↗	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nearrow A: NE pointing arrow
U+21CD	&nLeftArr;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nLeftarrow A: not implied by
U+219A	&nleftarr;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nleftarrow A: not left arrow
U+21CE	&nLeftRightArr;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nLeftrightarrow A: not l&r dbl arr
U+21AE	&nLeftRightArr;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nleftrightharpoon A: not l&r arrow
U+219B	↛	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nrightarrow A: not right arrow
U+21CF	↛	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nRightarrow A: not implies
U+2196	↖	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/nwarrow A: NW pointing arrow
U+21BA	↺	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/circlearrowleft A: l arr in circle
U+21BB	↻	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/circlearrowright A: r arr in circle
U+21DB	⇛	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/Rrightarrow A: right triple arrow
U+21A0	↠	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/twoheadrightarrow A:
U+21C9	&rarr2;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/rightrightarrows A: two rt arrows
U+21AA	↪	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/hookrightarrow A: rt arrow-hooked
U+21AC	↬	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/looparrowright A: rt arrow-looped
U+21A3	↣	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/rightarrowtail A: rt arrow-tailed
U+219D	↝	\rightsquigarrow	\rightsquigarrow	\rightsquigarrow	\rightsquigarrow	/rightsquigarrow A: rt arrow-wavy
U+21C1	⇁	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/rightharpoondown A: rt harpoon-down
U+21C0	⇀	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/rightharpoonup A: rt harpoon-up
U+21B1	↱	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/Rsh A:
U+2198	&drarr;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/searrow A: SE pointing arrow
U+2199	&dlarr;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/swarrow A: SW pointing arrow
U+21D1	⇑	\Uparrow	\Uparrow	\Uparrow	\Uparrow	upwards double arrow
U+21C8	&uarr2;	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/uparrows A: two up arrows
U+21D5	⇕	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/Updownarrow A: up&down dbl arrow
U+2195	↕	\Updownarrow	\Updownarrow	\Updownarrow	\Updownarrow	/updownarrow A: up&down arrow
U+21BF	↿	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	/upharpoonleft A: up harpoon-left

Pun- to di co- difica	Macro SGML					Descrizione
U+21BE	↾	☐	☐	☐	☐	/upharpoonright /restriction A: up harp- r
U+21D0	⟸	⇐	⇐	⇐	⇐	/Longleftarrow A: long l dbl arrow
U+2194	⟺	↔	↔	↔	↔	/Longleftrightarrow A: long l&r dbl arr
U+2194	⟷	↔	↔	↔	↔	/longleftrightarrow A: long l&r arr
U+21D2	⟹	⇒	⇒	⇒	⇒	/Longrightarrow A: long rt dbl arr

Tabella u79.12. Entità ISO 8879:1986 ISOamsc: *added math symbols: delimiters.*

Pun- to di co- difica	Macro SGML					Descrizione
U+2309	⌉	⌋	⌋	⌋	⌋	right ceiling
U+230B	⌋	⌋	⌋	⌋	⌋	right floor
U+E291	⦔	☐	☐	☐	☐	C: right paren, gt
U+231D	⌝	☐	☐	☐	☐	/urcorner C: upper right corner
U+231F	⌟	☐	☐	☐	☐	/lrcorner C: lower right corner
U+2308	⌈	⌈	⌈	⌈	⌈	left ceiling = apl upstile
U+230A	⌊	⌈	⌈	⌈	⌈	left floor = apl downstile
	&lparengtr	⌘	⌘	⌘	⌘	/leftparengtr O: left parenthesis, gt
U+231C	⌜	☐	☐	☐	☐	/ulcorner O: upper left corner
U+231E	⌞	☐	☐	☐	☐	/llcorner O: lower left corner

Alfabeti latini

«

Tabella u79.13. Entità ISO 8879:1986 ISOlat1: *added latin 1.*

Pun- to di co- difica	Macro SGML					Descrizione
U+00E1	á	á	á	á	á	latin small letter a with acute
U+00C1	Á	Á	Á	Á	Á	latin capital letter A with acute
U+00E2	â	â	â	â	â	latin capital letter A with circumflex

Pun- to di co- difica	Macro SGML					Descrizione
U+00C2	Â	Â	Â	Â	Â	latin small letter a with circumflex
U+00E0	à	à	à	à	à	latin small letter a with grave = latin small letter a grave
U+00C0	À	À	À	À	À	latin capital letter A with grave = latin capital letter A grave
U+00E5	å	å	å	å	å	latin small letter a with ring above = latin small letter a ring
U+00C5	Å	Å	Å	Å	Å	latin capital letter A with ring above = latin capital letter A ring
U+00E3	ã	ã	ã	ã	ã	latin small letter a with tilde
U+00C3	Ã	Ã	Ã	Ã	Ã	latin capital letter A with tilde
U+00E4	ä	ä	ä	ä	ä	latin small letter a with diaeresis
U+00C4	Ä	Ä	Ä	Ä	Ä	latin capital letter A with diaeresis
U+00E6	æ	æ	æ	æ	æ	latin small letter ae = latin small ligature ae
U+00C6	Æ	Æ	Æ	Æ	Æ	latin capital letter AE = latin capital ligature AE
U+00E7	ç	ç	ç	ç	ç	latin small letter c with cedilla
U+00C7	Ç	Ç	Ç	Ç	Ç	latin capital letter C with cedilla
U+00F0	ð	ð	ð	ð	ð	latin small letter eth
U+00D0	Ð	Ð	Ð	Ð	Ð	latin capital letter ETH
U+00E9	é	é	é	é	é	latin small letter e with acute
U+00C9	É	É	É	É	É	latin capital letter E with acute
U+00EA	ê	ê	ê	ê	ê	latin small letter e with circumflex
U+00CA	Ê	Ê	Ê	Ê	Ê	latin capital letter E with circumflex
U+00E8	è	è	è	è	è	latin small letter e with grave
U+00C8	È	È	È	È	È	latin capital letter E with grave
U+00EB	ë	ë	ë	ë	ë	latin small letter e with diaeresis
U+00CB	Ë	Ë	Ë	Ë	Ë	latin capital letter E with diaeresis
U+00ED	í	í	í	í	í	latin small letter i with acute
U+00CD	Í	Í	Í	Í	Í	latin capital letter I with acute
U+00EE	î	î	î	î	î	latin small letter i with circumflex
U+00CE	Î	Î	Î	Î	Î	latin capital letter I with circumflex
U+00EC	ì	ì	ì	ì	ì	latin small letter i with grave

Pun- to di co- difica	Macro SGML					Descrizione
U+00CC	Ì	Ì	ì	Ì	ì	latin capital letter I with grave
U+00EF	ï	ï	ï	ï	ï	latin small letter i with diaeresis
U+00CF	Ï	Ï	ÿ	Ï	ÿ	latin capital letter I with diaeresis
U+00F1	ñ	ñ	ñ	ñ	ñ	latin small letter n with tilde
U+00D1	Ñ	Ñ	Ñ	Ñ	Ñ	latin capital letter N with tilde
U+00F3	ó	ó	ó	ó	ó	latin small letter o with acute
U+00D3	Ó	Ó	Ó	Ó	Ó	latin capital letter O with acute
U+00F4	ô	ô	ô	ô	ô	latin small letter o with circumflex
U+00D4	Ô	Ô	Ô	Ô	Ô	latin capital letter O with circumflex
U+00F2	ò	ò	ò	ò	ò	latin small letter o with grave
U+00D2	Ò	Ò	Ò	Ò	Ò	latin capital letter O with grave
U+00F8	ø	ø	ø	ø	ø	latin capital letter O with stroke = latin capital letter O slash
U+00D8	Ø	Ø	Ø	Ø	Ø	latin capital letter O with stroke = latin capital letter O slash
U+00F5	õ	õ	õ	õ	õ	latin small letter o with tilde
U+00D5	Õ	Õ	Õ	Õ	Õ	latin capital letter O with tilde
U+00F6	ö	ö	ö	ö	ö	latin small letter o with diaeresis
U+00D6	Ö	Ö	Ö	Ö	Ö	latin capital letter O with diaeresis
U+00DF	ß	ß	ß	ß	ß	latin small letter sharp s = ess-zed
U+00FE	þ	þ	þ	þ	þ	latin small letter thorn with
U+00DE	Þ	Þ	Þ	Þ	Þ	latin capital letter THORN
U+00FA	ú	ú	ú	ú	ú	latin small letter u with acute
U+00DA	Ú	Ú	Ú	Ú	Ú	latin capital letter U with acute
U+00FB	û	û	û	û	û	latin small letter u with circumflex
U+00DB	Û	Û	Û	Û	Û	latin capital letter U with circumflex
U+00F9	ù	ù	ù	ù	ù	latin small letter u with grave
U+00D9	Ù	Ù	Ù	Ù	Ù	latin capital letter U with grave
U+00FC	ü	ü	ü	ü	ü	latin small letter u with diaeresis
U+00DC	Ü	Ü	Ü	Ü	Ü	latin capital letter U with diaeresis
U+00FD	ý	ý	ý	ý	ý	latin small letter y with acute
U+00DD	Ý	Ý	Ý	Ý	Ý	latin capital letter Y with acute

Pun- to di co- difica	Macro SGML					Descrizione
U+00FF	ÿ	ÿ	ÿ	ÿ	ÿ	latin small letter y with diaeresis

Tabella u79.14. Entità ISO 8879:1986 ISOlat2: *added latin 2*.

Pun- to di co- difica	Macro SGML					Descrizione
U+0103	ă	ă	ă	ă	ă	=small a, breve
U+0102	Ă	Ă	Ă	Ă	Ă	=capital A, breve
U+0101	ā	ā	ā	ā	ā	=small a, macron
U+0100	Ā	Ā	Ā	Ā	Ā	=capital A, macron
U+0105	ą	ą	ą	ą	ą	=small a, ogonek
U+0104	Ą	Ą	Ą	Ą	Ą	=capital A, ogonek
U+0107	ć	ć	ć	ć	ć	=small c, acute accent
U+0106	Ć	Ć	Ć	Ć	Ć	=capital C, acute accent
U+010D	č	č	č	č	č	=small c, caron
U+010C	Č	Č	Č	Č	Č	=capital C, caron
U+0109	ĉ	ĉ	ĉ	ĉ	ĉ	=small c, circumflex accent
U+0108	Ĉ	Ĉ	Ĉ	Ĉ	Ĉ	=capital C, circumflex accent
U+010B	ċ	ċ	ċ	ċ	ċ	=small c, dot above
U+010A	Ċ	Ĉ	Ĉ	Ĉ	Ĉ	=capital C, dot above
U+010F	ď	ď	ď	ď	ď	=small d, caron
U+010E	Ď	Ď	Ď	Ď	Ď	=capital D, caron
U+0111	đ	đ	đ	đ	đ	=small d, stroke
U+0110	Đ	Đ	Đ	Đ	Đ	=capital D, stroke
U+011B	ě	ě	ě	ě	ě	=small e, caron
U+011A	Ě	Ě	Ě	Ě	Ě	=capital E, caron
U+0117	ė	ė	ė	ė	ė	=small e, dot above
U+0116	Ė	Ė	Ė	Ė	Ė	=capital E, dot above
U+0113	ē	ē	ē	ē	ē	=small e, macron
U+0112	Ē	Ē	Ē	Ē	Ē	=capital E, macron
U+0119	ę	ę	ę	ę	ę	=small e, ogonek
U+0118	Ę	Ę	Ę	Ę	Ę	=capital E, ogonek

Pun- to di co- difica	Macro SGML					Descrizione
U+01F5	ǵ	ǵ	ǵ	ǵ	ǵ	=small g, acute accent
U+011F	ğ	ǧ	ǧ	ǧ	ǧ	=small g, breve
U+011E	Ğ	Ǫ	Ǫ	Ǫ	Ǫ	=capital G, breve
U+0122	Ģ	Ǯ	Ǯ	Ǯ	Ǯ	=capital G, cedilla
U+011D	ĝ	ǧ̂	ǧ̂	ǧ̂	ǧ̂	=small g, circumflex accent
U+011C	Ĝ	Ǫ̂	Ǫ̂	Ǫ̂	Ǫ̂	=capital G, circumflex accent
U+0121	ġ	ǧ̇	ǧ̇	ǧ̇	ǧ̇	=small g, dot above
U+0120	Ġ	Ǫ̇	Ǫ̇	Ǫ̇	Ǫ̇	=capital G, dot above
U+0125	ĥ	ǧ̂	ǧ̂	ǧ̂	ǧ̂	=small h, circumflex accent
U+0124	Ĥ	Ǫ̂	Ǫ̂	Ǫ̂	Ǫ̂	=capital H, circumflex accent
U+0127	ħ	ħ	ħ	ħ	ħ	=small h, stroke
U+0126	Ħ	Ĥ	Ĥ	Ĥ	Ĥ	=capital H, stroke
U+0130	İ	İ	İ	İ	İ	=capital I, dot above
U+012A	Ī	Ī	Ī	Ī	Ī	=capital I, macron
U+012B	ī	ī	ī	ī	ī	=small i, macron
U+0133	ĳ	ij	ij	ij	ij	=small ij ligature
U+0132	Ĳ	IJ	IJ	IJ	IJ	=capital IJ ligature
U+0131	ı	ı	ı	ı	ı	=small i without dot
U+012F	į	į	į	į	į	=small i, ogonek
U+012E	Į	Į	Į	Į	Į	=capital I, ogonek
U+0129	ĩ	ĩ	ĩ	ĩ	ĩ	=small i, tilde
U+0128	Ĩ	Ĩ	Ĩ	Ĩ	Ĩ	=capital I, tilde
U+0135	ĵ	ĵ	ĵ	ĵ	ĵ	=small j, circumflex accent
U+0134	Ĵ	Ĵ	Ĵ	Ĵ	Ĵ	=capital J, circumflex accent
U+0137	ķ	ķ	ķ	ķ	ķ	=small k, cedilla
U+0136	Ķ	Ķ	Ķ	Ķ	Ķ	=capital K, cedilla
U+0138	ĸ	ᵑ	ᵑ	ᵑ	ᵑ	=small k, Greenlandic
U+013A	ĺ	ĺ	ĺ	ĺ	ĺ	=small l, acute accent
U+0139	Ĺ	Ł	Ł	Ł	Ł	=capital L, acute accent
U+013E	ľ	ľ	ľ	ľ	ľ	=small l, caron
U+013D	Ľ	Ľ	Ľ	Ľ	Ľ	=capital L, caron

Pun- to di co- difica	Macro SGML					Descrizione
U+013C	ļ	ł	ł	Ł	Ł	=small l, cedilla
U+013B	Ļ	Ł	Ł	Ł	Ł	=capital L, cedilla
U+0140	ŀ	l·	l·	l·	l·	=small l, middle dot
U+013F	Ŀ	L·	L·	L·	L·	=capital L, middle dot
U+0142	ł	ł	ł	Ł	Ł	=small l, stroke
U+0141	Ł	Ł	Ł	Ł	Ł	=capital L, stroke
U+0144	ń	ń	ń	Ń	Ń	=small n, acute accent
U+0143	Ń	Ń	Ń	Ń	Ń	=capital N, acute accent
U+014B	ŋ	■	■	■	■	=small eng, Lapp
U+014A	Ŋ	■	■	■	■	=capital ENG, Lapp
U+0149	ŉ	□	□	□	□	=small n, apostrophe
U+0148	ň	ň	ň	Ň	Ň	=small n, caron
U+0147	Ň	Ň	Ň	Ň	Ň	=capital N, caron
U+0146	ņ	ņ	ņ	Ņ	Ņ	=small n, cedilla
U+0145	Ņ	Ņ	Ņ	Ņ	Ņ	=capital N, cedilla
U+0151	ő	ó	ó	Ó	Ó	=small o, double acute accent
U+0150	Ő	Ó	Ó	Ó	Ó	=capital O, double acute accent
U+014C	Ō	ō	ō	Ō	Ō	=capital O, macron
U+014D	ō	ō	ō	ō	ō	=small o, macron
U+0153	œ	œ	œ	œ	œ	latin small ligature oe
U+0152	Œ	Œ	Œ	Œ	Œ	latin capital ligature OE
U+0155	ŕ	í	í	Í	Í	=small r, acute accent
U+0154	Ŕ	Í	Í	Í	Í	=capital R, acute accent
U+0159	ř	ř	ř	Ř	Ř	=small r, caron
U+0158	Ř	Ř	Ř	Ř	Ř	=capital R, caron
U+0157	ŗ	ŗ	ŗ	Ŗ	Ŗ	=small r, cedilla
U+0156	Ŗ	Ŗ	Ŗ	Ŗ	Ŗ	=capital R, cedilla
U+015B	ś	ś	ś	Ś	Ś	=small s, acute accent
U+015A	Ś	Ś	Ś	Ś	Ś	=capital S, acute accent
U+0161	š	š	š	Š	Š	latin small letter s with caron
U+0160	Š	Š	Š	Š	Š	latin capital letter S with caron

Pun- to di co- difica	Macro SGML					Descrizione
U+015F	ş	ſ	ſ	ſ	ſ	=small s, cedilla
U+015E	Ş	Œ	Œ	Œ	Œ	=capital S, cedilla
U+015D	ŝ	ŝ	ŝ	ŝ	ŝ	=small s, circumflex accent
U+015C	Ŝ	Ŝ	Ŝ	Ŝ	Ŝ	=capital S, circumflex accent
U+0165	ť	ť	ť	ť	ť	=small t, caron
U+0164	Ť	Ť	Ť	Ť	Ť	=capital T, caron
U+0163	ţ	ţ	ţ	ţ	ţ	=small t, cedilla
U+0162	Ţ	Ț	Ț	Ț	Ț	=capital T, cedilla
U+0167	ŧ	ƚ	ƚ	ƚ	ƚ	=small t, stroke
U+0166	Ŧ	Ʀ	Ʀ	Ʀ	Ʀ	=capital T, stroke
U+016D	ŭ	ů	ů	ů	ů	=small u, breve
U+016C	Ŭ	Ů	Ů	Ů	Ů	=capital U, breve
U+0171	ű	ů	ů	ů	ů	=small u, double acute accent
U+0170	Ű	Ů	Ů	Ů	Ů	=capital U, double acute accent
U+016B	ū	ū	ū	ū	ū	=small u, macron
U+016A	Ū	Ū	Ū	Ū	Ū	=capital U, macron
U+0173	ų	ų	ų	ų	ų	=small u, ogonek
U+0172	Ų	Ų	Ų	Ų	Ų	=capital U, ogonek
U+016F	ů	ů	ů	ů	ů	=small u, ring
U+016E	Ů	Ů	Ů	Ů	Ů	=capital U, ring
U+0169	ũ	ũ	ũ	ũ	ũ	=small u, tilde
U+0168	Ũ	Ũ	Ũ	Ũ	Ũ	=capital U, tilde
U+0175	ŵ	ŵ	ŵ	ŵ	ŵ	=small w, circumflex accent
U+0174	Ŵ	Ŵ	Ŵ	Ŵ	Ŵ	=capital W, circumflex accent
U+0177	ŷ	ŷ	ŷ	ŷ	ŷ	=small y, circumflex accent
U+0176	Ŷ	Ŷ	Ŷ	Ŷ	Ŷ	=capital Y, circumflex accent
U+0178	Ÿ	ÿ	ÿ	ÿ	ÿ	latin capital letter Y with diaeresis
U+017A	ź	ź	ź	ź	ź	=small z, acute accent
U+0179	Ź	Ź	Ź	Ź	Ź	=capital Z, acute accent
U+017E	ž	ž	ž	ž	ž	=small z, caron
U+017D	Ž	Ž	Ž	Ž	Ž	=capital Z, caron

Pun- to di co- difica	Macro SGML					Descrizione
U+017C	ż	ẏ	ẏ	ẏ	ẏ	=small z, dot above
U+017B	Ż	Ẑ	Ẑ	Ẑ	Ẑ	=capital Z, dot above

Tabella u79.15. Entità ISO 8879:1986 ISODia: *diacritical marks*.

Pun- to di co- difica	Macro SGML					Descrizione
U+00B4	´	´	´	´	´	acute accent = spacing acute
U+02D8	˘	˘	˘	˘	˘	=breve
U+02C7	ˇ	ˇ	ˇ	ˇ	ˇ	=caron
U+00B8	¸	¸	¸	¸	¸	cedilla = spacing cedilla
U+005E	ˆ	ˆ	ˆ	ˆ	ˆ	modifier letter circumflex accent
U+02DD	˝	ˆˆ	ˆˆ	ˆˆ	ˆˆ	=double acute accent
U+00A8	¨	¨	¨	¨	¨	diaeresis = spacing diaeresis
U+02D9	˙	˙	˙	˙	˙	=dot above
U+0060	`	`	`	`	`	=grave accent
U+00AF	¯	¯	¯	¯	¯	macron = spacing macron = overline = APL overbar
U+02DB	˛	˛	˛	˛	˛	=ogonek
U+02DA	˚	◌̇	◌̇	◌̇	◌̇	=ring
U+02DC	˜	˜	˜	˜	˜	small tilde
U+00A8	¨	¨	¨	¨	¨	diaeresis = spacing diaeresis

Alfabeti non latini

Si ricorda che per poter utilizzare gli alfabeti non latini è indispensabile selezionare il linguaggio. «

Si seleziona il russo con la sigla ‘**ru**’.

Tabella u79.16. Entità ISO 8879:1986 ISOcyr1: *russian cyrillic*.

Pun- to di co- difica	Macro SGML					Descrizione
U+0430	а	а	а	а	а	=small a, Cyrillic
U+0410	А	А	А	А	А	=capital A, Cyrillic
U+0431	б	б	б	б	б	=small be, Cyrillic
U+0411	Б	Б	Б	Б	Б	=capital BE, Cyrillic
U+0432	в	в	в	в	в	=small ve, Cyrillic
U+0412	В	В	В	В	В	=capital VE, Cyrillic
U+0433	г	г	г	г	г	=small ghe, Cyrillic
U+0413	Г	Г	Г	Г	Г	=capital GHE, Cyrillic
U+0434	д	д	д	д	д	=small de, Cyrillic
U+0414	Д	Д	Д	Д	Д	=capital DE, Cyrillic
U+0435	е	е	е	е	е	=small ie, Cyrillic
U+0415	Е	Е	Е	Е	Е	=capital IE, Cyrillic
U+0451	ё	ё	ё	ё	ё	=small io, Russian
U+0401	Ё	Ё	Ё	Ё	Ё	=capital IO, Russian
U+0436	ж	ж	ж	ж	ж	=small zhe, Cyrillic
U+0416	Ж	Ж	Ж	Ж	Ж	=capital ZHE, Cyrillic
U+0437	з	з	з	з	з	=small ze, Cyrillic
U+0417	З	З	З	З	З	=capital ZE, Cyrillic
U+0438	и	и	и	и	и	=small i, Cyrillic
U+0418	И	И	И	И	И	=capital I, Cyrillic
U+0439	й	й	й	й	й	=small short i, Cyrillic
U+0419	Й	Й	Й	Й	Й	=capital short I, Cyrillic
U+043A	к	к	к	к	к	=small ka, Cyrillic
U+041A	К	К	К	К	К	=capital KA, Cyrillic
U+043B	л	л	л	л	л	=small el, Cyrillic
U+041B	Л	Л	Л	Л	Л	=capital EL, Cyrillic
U+043C	м	м	м	м	м	=small em, Cyrillic
U+041C	М	М	М	М	М	=capital EM, Cyrillic
U+043D	н	н	н	н	н	=small en, Cyrillic
U+041D	Н	Н	Н	Н	Н	=capital EN, Cyrillic

Pun- to di co- difica	Macro SGML					Descrizione
U+043E	о	о	о	о	о	=small o, Cyrillic
U+041E	О	О	О	О	О	=capital O, Cyrillic
U+043F	п	п	п	п	п	=small pe, Cyrillic
U+041F	П	П	П	П	П	=capital PE, Cyrillic
U+0440	р	р	р	р	р	=small er, Cyrillic
U+0420	Р	Р	Р	Р	Р	=capital ER, Cyrillic
U+0441	с	с	с	с	с	=small es, Cyrillic
U+0421	С	С	С	С	С	=capital ES, Cyrillic
U+0442	т	т	т	т	т	=small te, Cyrillic
U+0422	Т	Т	Т	Т	Т	=capital TE, Cyrillic
U+0443	у	у	у	у	у	=small u, Cyrillic
U+0423	У	У	У	У	У	=capital U, Cyrillic
U+0444	ф	ф	ф	ф	ф	=small ef, Cyrillic
U+0424	Ф	Ф	Ф	Ф	Ф	=capital EF, Cyrillic
U+0445	х	х	х	х	х	=small ha, Cyrillic
U+0425	Х	Х	Х	Х	Х	=capital HA, Cyrillic
U+0446	ц	ц	ц	ц	ц	=small tse, Cyrillic
U+0426	Ц	Ц	Ц	Ц	Ц	=capital TSE, Cyrillic
U+0447	ч	ч	ч	ч	ч	=small che, Cyrillic
U+0427	Ч	Ч	Ч	Ч	Ч	=capital CHE, Cyrillic
U+0448	ш	ш	ш	ш	ш	=small sha, Cyrillic
U+0428	Ш	Ш	Ш	Ш	Ш	=capital SHA, Cyrillic
U+0449	щ	щ	щ	щ	щ	=small shcha, Cyrillic
U+0429	Щ	Щ	Щ	Щ	Щ	=capital SHCHA, Cyrillic
U+044A	ъ	ъ	ъ	ъ	ъ	=small hard sign, Cyrillic
U+042A	Ъ	Ъ	Ъ	Ъ	Ъ	=capital HARD sign, Cyrillic
U+044B	ы	ы	ы	ы	ы	=small yeru, Cyrillic
U+042B	Ы	Ы	Ы	Ы	Ы	=capital YERU, Cyrillic
U+044C	ь	ь	ь	ь	ь	=small soft sign, Cyrillic
U+042C	Ь	Ь	Ь	Ь	Ь	=capital SOFT sign, Cyrillic
U+044D	э	э	э	э	э	=small e, Cyrillic

Pun- to di co- difica	Macro SGML					Descrizione
U+042D	Э	Э	Э	Э	Э	=capital E, Cyrillic
U+044E	ю	ю	ю	ю	ю	=small yu, Cyrillic
U+042E	Ю	Ю	Ю	Ю	Ю	=capital YU, Cyrillic
U+044F	я	я	я	я	я	=small ya, Cyrillic
U+042F	Я	Я	Я	Я	Я	=capital YA, Cyrillic
U+2116	№	№	№	№	№	=numero sign

Tabella u79.17. Entità ISO 8879:1986 ISOcyr2: *non-russian cyrillic*.

Pun- to di co- difica	Macro SGML					Descrizione
U+0452	ђ	ђ	ђ	ђ	ђ	=small dje, Serbian
U+0402	Ђ	Ђ	Ђ	Ђ	Ђ	=capital DJE, Serbian
U+0453	ѓ	ѓ	ѓ	ѓ	ѓ	=small gje, Macedonian
U+0403	Ѓ	Ѓ	Ѓ	Ѓ	Ѓ	=capital GJE Macedonian
U+0454	є	є	є	є	є	=small je, Ukrainian
U+0404	Є	Є	Є	Є	Є	=capital JE, Ukrainian
U+0455	ѕ	ѕ	ѕ	ѕ	ѕ	=small dse, Macedonian
U+0405	Ѕ	Ѕ	Ѕ	Ѕ	Ѕ	=capital DSE, Macedonian
U+0456	і	і	і	і	і	=small i, Ukrainian
U+0406	І	І	І	І	І	=capital I, Ukrainian
U+0457	ї	ї	ї	ї	ї	=small yi, Ukrainian
U+0407	Ї	І	І	І	І	=capital YI, Ukrainian
U+0458	ј	ј	ј	ј	ј	=small je, Serbian
U+0408	Ј	Ј	Ј	Ј	Ј	=capital JE, Serbian
U+0459	љ	љ	љ	љ	љ	=small lje, Serbian
U+0409	Љ	Љ	Љ	Љ	Љ	=capital LJE, Serbian
U+045A	њ	њ	њ	њ	њ	=small nje, Serbian
U+040A	Њ	Њ	Њ	Њ	Њ	=capital NJE, Serbian
U+045B	&tshecy;	ћ	ћ	ћ	ћ	=small tshe, Serbian
U+040B	Ћ	Ћ	Ћ	Ћ	Ћ	=capital TSHE, Serbian

Pun- to di co- difica	Macro SGML					Descrizione
U+045C	ќ	ќ	ќ	ќ	ќ	=small kje Macedonian
U+040C	Ќ	Ќ	Ќ	Ќ	Ќ	=capital KJE, Macedonian
U+045E	ў	ў	ў	ў	ў	=small u, Byelorussian
U+040E	Ў	Ў	Ў	Ў	Ў	=capital U, Byelorussian
U+045F	џ	џ	џ	џ	џ	=small dze, Serbian
U+040F	Џ	Ђ	Ђ	Ђ	Ђ	=capital dze, Serbian

Si seleziona il greco con la sigla ‘e1’.

Tabella u79.18. Entità ISO 8879:1986 ISOgrk1: *greek letters*.

Pun- to di co- difica	Macro SGML					Descrizione
U+03B1	&agr;	α	α	α	α	=small alpha, Greek
U+0391	&Agr;	Α	Α	Α	Α	greek capital letter alpha
U+03B2	&bgr;	β	β	β	β	=small beta, Greek
U+0392	&Bgr;	Β	Β	Β	Β	greek capital letter beta
U+03B3	&ggr;	γ	γ	γ	γ	=small gamma, Greek
U+0393	&Ggr;	Γ	Γ	Γ	Γ	=capital Gamma, Greek
U+03B4	&dgr;	δ	δ	δ	δ	=small delta, Greek
U+0394	&Dgr;	Δ	Δ	Δ	Δ	=capital Delta, Greek
U+03B5	&egr;	ε	ε	ε	ε	=small epsilon, Greek
U+0395	&Egr;	Ε	Ε	Ε	Ε	greek capital letter epsilon
U+03B6	&zgr;	ζ	ζ	ζ	ζ	=small zeta, Greek
U+0396	&Zgr;	Ζ	Ζ	Ζ	Ζ	greek capital letter zeta
U+03B7	&eegr;	η	η	η	η	=small eta, Greek
U+0397	&EEgr;	Η	Η	Η	Η	greek capital letter eta
U+03B8	&thgr;	θ	θ	θ	θ	=small theta, Greek
U+0398	&THgr;	Θ	Θ	Θ	Θ	=capital Theta, Greek
U+03B9	&igr;	ι	ι	ι	ι	=small iota, Greek
U+0399	&Igr;	Ι	Ι	Ι	Ι	greek capital letter iota
U+03BA	&kgr;	κ	κ	κ	κ	=small kappa, Greek

Pun- to di co- difica	Macro SGML					Descrizione
U+039A	&Kgr;	Κ	Κ	Κ	Κ	greek capital letter kappa
U+03BB	&lgr;	λ	λ	λ	λ	=small lambda, Greek
U+039B	&Lgr;	Λ	Λ	Λ	Λ	=capital Lambda, Greek
U+03BC	&mgr;	μ	μ	μ	μ	=small mu, Greek
U+039C	&Mgr;	Μ	Μ	Μ	Μ	greek capital letter mu
U+03BD	&ngr;	ν	ν	ν	ν	=small nu, Greek
U+039D	&Ngr;	Ν	Ν	Ν	Ν	greek capital letter nu
U+03BE	&xgr;	ξ	ξ	ξ	ξ	=small xi, Greek
U+039E	&Xgr;	Ξ	Ξ	Ξ	Ξ	=capital Xi, Greek
U+03BF	&ogr;	ο	ο	ο	ο	greek small letter omicron
U+039F	&Ogr;	Ο	Ο	Ο	Ο	greek capital letter omicron
U+03C0	&pgr;	π	π	π	π	=small pi, Greek
U+03A0	&Pgr;	Π	Π	Π	Π	=capital Pi, Greek
U+03C1	&rgr;	ρ	ρ	ρ	ρ	=small rho, Greek
U+03A1	&Rgr;	Ρ	Ρ	Ρ	Ρ	greek capital letter rho
U+03C3	&sgr;	σ	σ	σ	σ	=small sigma, Greek
U+03A3	&Sgr;	Σ	Σ	Σ	Σ	=capital Sigma, Greek
U+03C2	&sfgr;	ς	ς	ς	ς	=final small sigma, Greek
U+03C4	&tgr;	τ	τ	τ	τ	=small tau, Greek
U+03A4	&Tgr;	Τ	Τ	Τ	Τ	greek capital letter tau
U+03C5	&ugr;	υ	υ	υ	υ	=small upsilon, Greek
U+03A5	&Ugr;	Υ	Υ	Υ	Υ	greek capital letter upsilon
U+03C6	&phgr;	φ	φ	φ	φ	=small phi, Greek
U+03A6	&PHgr;	Φ	Φ	Φ	Φ	=capital Phi, Greek
U+03C7	&khgr;	χ	χ	χ	χ	=small chi, Greek
U+03A7	&KHgr;	Χ	Χ	Χ	Χ	greek capital letter chi
U+03C8	&psgr;	ψ	ψ	ψ	ψ	=small psi, Greek
U+03A8	&PSgr;	Ψ	Ψ	Ψ	Ψ	=capital Psi, Greek
U+03C9	&ohgr;	ω	ω	ω	ω	=small omega, Greek
U+03A9	&OHgr;	Ω	Ω	Ω	Ω	=capital Omega, Greek

Tabella u79.19. Entità ISO 8879:1986 ISOgrk2: *monotoniko greek*.

Pun- to di co- difica	Macro SGML					Descrizione
U+03AC	&aacgr;	ά	ά	ά	ά	=small alpha, accent, Greek
U+0386	&Aacgr;	Ά	Ά	Ά	Ά	=capital Alpha, accent, Greek
U+03AD	&eacgr;	έ	έ	έ	έ	=small epsilon, accent, Greek
U+0388	&Eacgr;	Έ	Έ	Έ	Έ	=capital Epsilon, accent, Greek
U+03AE	&eeacgr;	ή	ή	ή	ή	=small eta, accent, Greek
U+0389	&EEacgr;	Ή	Ή	Ή	Ή	=capital Eta, accent, Greek
U+03CA	&idigr;	ϊ	ϊ	ϊ	ϊ	=small iota, dieresis, Greek
U+03AA	&Idigr;	Ϊ	Ϊ	Ϊ	Ϊ	=capital Iota, dieresis, Greek
U+03AF	&iacgr;	ί	ί	ί	ί	=small iota, accent, Greek
U+038A	&Iacgr;	Ι	Ι	Ι	Ι	=capital Iota, accent, Greek
U+0390	&idiagr;	ΐ	ΐ	ΐ	ΐ	=small iota, dieresis, accent, Greek
U+03CC	&oacgr;	ό	ό	ό	ό	=small omicron, accent, Greek
U+038C	&Oacgr;	Ό	Ό	Ό	Ό	=capital Omicron, accent, Greek
U+03CB	&udigr;	ϋ	ϋ	ϋ	ϋ	=small upsilon, dieresis, Greek
U+03AB	&Udigr;	Υ	Υ	Υ	Υ	=capital Upsilon, dieresis, Greek
U+03CD	&uacgr;	ύ	ύ	ύ	ύ	=small upsilon, accent, Greek
U+038E	&Uacgr;	Υ	Υ	Υ	Υ	=capital Upsilon, accent, Greek
U+03B0	&udiagr;	ϋ	ϋ	ϋ	ϋ	=small upsilon, dieresis, accent, Greek
U+03CE	&ohacgr;	ώ	ώ	ώ	ώ	=small omega, accent, Greek
U+038F	&OHacgr;	Ω	Ω	Ω	Ω	=capital Omega, accent, Greek

HTML

HTML utilizza una propria classificazione delle entità, secondo gli elenchi di questa sezione, includendo anche entità estranee allo standard ISO 8879:1986. L'utilizzo di queste entità è valido nei linguaggi latini; tuttavia, se si scrivono lettere greche utilizzando diretta-

mente il loro codice, si ottiene la loro traslitterazione, a meno di selezionare la lingua greca.

Tabella u79.20. Entità HTML HTMLlat1.

Punto di codifica	Standard	Macro SGML					Descrizione	
U+00A0	ISO	num	nbsp;				no-break space = non-breaking space	
U+00A1	ISO	num	¡	¡	í	ï	ì	inverted exclamation mark
U+00A2	ISO	num	¢	¢	ç	¢	¢	cent sign
U+00A3	ISO	num	£	£	£	£	£	pound sign
U+00A4	ISO	num	¤	□	□	□	□	currency sign
U+00A5	ISO	num	¥	¥	¥	¥	¥	yen sign = yuan sign
U+00A6	ISO	num	¦	¦	¦	¦	¦	broken bar = broken vertical bar
U+00A7	ISO	num	§	§	§	§	§	section sign
U+00A8	ISO	dia	¨	¨	¨	¨	¨	diaeresis = spacing diaeresis
U+00A9	ISO	num	©	©	©	©	©	copyright sign
U+00AA	ISO	num	ª	ª	ª	ª	ª	feminine ordinal indicator
U+00AB	ISO	num	«	«	«	«	«	left-pointing double angle quotation mark = left pointing guillemet
U+00AC	ISO	num	¬	¬	¬	¬	¬	not sign
U+00AD	ISO	num	­	–	–	–	–	soft hyphen = discretionary hyphen
U+00AE	ISO	num	®	®	®	®	®	registered sign = registered trade mark sign
U+00AF	ISO	dia	¯	¯	¯	¯	¯	macron = spacing macron = overline = APL overbar
U+00B0	ISO	num	°	°	°	°	°	degree sign
U+00B1	ISO	num	±	±	±	±	±	plus-minus sign = plus-or-minus sign
U+00B2	ISO	num	²	²	²	²	²	superscript two = superscript digit two = squared

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+00B3	ISOnum	³	3	3	3	3	superscript three = superscript digit three = cubed
U+00B4	ISODia	´	´	´	´	´	acute accent = spacing acute
U+00B5	ISOnum	µ	μ	μ	μ	μ	micro sign
U+00B6	ISOnum	¶	¶	¶	¶	¶	pilcrow sign = paragraph sign
U+00B7	ISOnum	·	·	·	·	·	middle dot = Georgian comma = Greek middle dot
U+00B8	ISODia	¸	¸	¸	¸	¸	cedilla = spacing cedilla
U+00B9	ISOnum	¹	1	1	1	1	superscript one = superscript digit one
U+00BA	ISOnum	º	º	º	º	º	masculine ordinal indicator
U+00BB	ISOnum	»	»	»	»	»	right-pointing double angle quotation mark = right pointing guillemet
U+00BC	ISOnum	¼	¼	¼	¼	¼	vulgar fraction one quarter = fraction one quarter
U+00BD	ISOnum	½	½	½	½	½	vulgar fraction one half = fraction one half
U+00BE	ISOnum	¾	¾	¾	¾	¾	vulgar fraction three quarters = fraction three quarters
U+00BF	ISOnum	¿	¿	¿	¿	¿	inverted question mark = turned question mark
U+00C0	ISOlat1	À	À	À	À	À	latin capital letter A with grave = latin capital letter A grave
U+00C1	ISOlat1	Á	Á	Á	Á	Á	latin capital letter A with acute
U+00C2	ISOlat1	Â	Â	Â	Â	Â	latin capital letter A with circumflex
U+00C3	ISOlat1	Ã	Ã	Ã	Ã	Ã	latin capital letter A with tilde

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+00C4	ISOlat1	Ä	Ä	Ä	Ä	Ä	latin capital letter A with diaeresis
U+00C5	ISOlat1	Å	Å	Å	Å	Å	latin capital letter A with ring above = latin capital letter A ring
U+00C6	ISOlat1	Æ	Æ	Æ	Æ	Æ	latin capital letter AE = latin capital ligature AE
U+00C7	ISOlat1	Ç	Ç	Ç	Ç	Ç	latin capital letter C with cedilla
U+00C8	ISOlat1	È	È	È	È	È	latin capital letter E with grave
U+00C9	ISOlat1	É	É	É	É	É	latin capital letter E with acute
U+00CA	ISOlat1	Ê	Ê	Ê	Ê	Ê	latin capital letter E with circumflex
U+00CB	ISOlat1	Ë	Ë	Ë	Ë	Ë	latin capital letter E with diaeresis
U+00CC	ISOlat1	Ì	Ì	Ì	Ì	Ì	latin capital letter I with grave
U+00CD	ISOlat1	Í	Í	Í	Í	Í	latin capital letter I with acute
U+00CE	ISOlat1	Î	Î	Î	Î	Î	latin capital letter I with circumflex
U+00CF	ISOlat1	Ï	Ï	Ï	Ï	Ï	latin capital letter I with diaeresis
U+00D0	ISOlat1	Ð	Ð	Ð	Ð	Ð	latin capital letter ETH
U+00D1	ISOlat1	Ñ	Ñ	Ñ	Ñ	Ñ	latin capital letter N with tilde
U+00D2	ISOlat1	Ò	Ò	Ò	Ò	Ò	latin capital letter O with grave
U+00D3	ISOlat1	Ó	Ó	Ó	Ó	Ó	latin capital letter O with acute
U+00D4	ISOlat1	Ô	Ô	Ô	Ô	Ô	latin capital letter O with circumflex
U+00D5	ISOlat1	Õ	Õ	Õ	Õ	Õ	latin capital letter O with tilde
U+00D6	ISOlat1	Ö	Ö	Ö	Ö	Ö	latin capital letter O with diaeresis
U+00D7	ISOnum	×	×	×	×	×	multiplication sign

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+00D8	ISOlat1	Ø	Ø	Ø	Ø	ø	latin capital letter O with stroke = latin capital letter O slash
U+00D9	ISOlat1	Ù	Ù	Ù	Ù	ù	latin capital letter U with grave
U+00DA	ISOlat1	Ú	Ú	Ú	Ú	ú	latin capital letter U with acute
U+00DB	ISOlat1	Û	Û	Û	Û	û	latin capital letter U with circumflex
U+00DC	ISOlat1	Ü	Ü	Ü	Ü	ü	latin capital letter U with diaeresis
U+00DD	ISOlat1	Ý	Ý	Ý	Ý	ý	latin capital letter Y with acute
U+00DE	ISOlat1	Þ	Þ	Þ	Þ	þ	latin capital letter THORN
U+00DF	ISOlat1	ß	ß	ß	ß	ß	latin small letter sharp s = ess-zed
U+00E0	ISOlat1	à	à	à	à	à	latin small letter a with grave = latin small letter a grave
U+00E1	ISOlat1	á	á	á	á	á	latin small letter a with acute
U+00E2	ISOlat1	â	â	â	â	â	latin small letter a with circumflex
U+00E3	ISOlat1	ã	ã	ã	ã	ã	latin small letter a with tilde
U+00E4	ISOlat1	ä	ä	ä	ä	ä	latin small letter a with diaeresis
U+00E5	ISOlat1	å	å	å	å	å	latin small letter a with ring above = latin small letter a ring
U+00E6	ISOlat1	æ	æ	æ	æ	æ	latin small letter ae = latin small ligature ae
U+00E7	ISOlat1	ç	ç	ç	ç	ç	latin small letter c with cedilla
U+00E8	ISOlat1	è	è	è	è	è	latin small letter e with grave
U+00E9	ISOlat1	é	é	é	é	é	latin small letter e with acute
U+00EA	ISOlat1	ê	ê	ê	ê	ê	latin small letter e with circumflex

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+00EB	ISOlat1	ë	ë	ë	ë	ë	latin small letter e with diaeresis
U+00EC	ISOlat1	ì	ì	ì	ì	ì	latin small letter i with grave
U+00ED	ISOlat1	í	í	í	í	í	latin small letter i with acute
U+00EE	ISOlat1	î	î	î	î	î	latin small letter i with circumflex
U+00EF	ISOlat1	ï	ï	ï	ï	ï	latin small letter i with diaeresis
U+00F0	ISOlat1	ð	ð	ð	ð	ð	latin small letter eth
U+00F1	ISOlat1	ñ	ñ	ñ	ñ	ñ	latin small letter n with tilde
U+00F2	ISOlat1	ò	ò	ò	ò	ò	latin small letter o with grave
U+00F3	ISOlat1	ó	ó	ó	ó	ó	latin small letter o with acute
U+00F4	ISOlat1	ô	ô	ô	ô	ô	latin small letter o with circumflex
U+00F5	ISOlat1	õ	õ	õ	õ	õ	latin small letter o with tilde
U+00F6	ISOlat1	ö	ö	ö	ö	ö	latin small letter o with diaeresis
U+00F7	ISOnum	÷	÷	÷	÷	÷	division sign
U+00F8	ISOlat1	ø	ø	ø	ø	ø	latin small letter o with stroke = latin small letter o slash
U+00F9	ISOlat1	ù	ù	ù	ù	ù	latin small letter u with grave
U+00FA	ISOlat1	ú	ú	ú	ú	ú	latin small letter u with acute
U+00FB	ISOlat1	û	û	û	û	û	latin small letter u with circumflex
U+00FC	ISOlat1	ü	ü	ü	ü	ü	latin small letter u with diaeresis
U+00FD	ISOlat1	ý	ý	ý	ý	ý	latin small letter y with acute
U+00FE	ISOlat1	þ	þ	þ	þ	þ	latin small letter thorn
U+00FF	ISOlat1	ÿ	ÿ	ÿ	ÿ	ÿ	latin small letter y with diaeresis

Tabella u79.21. Entità HTML HTMLspecial.

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+0022	ISO num	"	"	"	"	"	quotation mark = APL quote
U+0026	ISO num	&	&	&	&	&	ampersand
U+003C	ISO num	<	<	<	<	<	less-than sign
U+003E	ISO num	>	>	>	>	>	greater-than sign
U+0152	ISO lat2	Œ	Œ	Œ	Œ	Œ	latin capital ligature OE
U+0153	ISO lat2	œ	œ	œ	œ	œ	latin small ligature oe
U+0160	ISO lat2	Š	Š	Š	Š	Š	latin capital letter S with caron
U+0161	ISO lat2	š	š	š	š	š	latin small letter s with caron
U+0178	ISO lat2	Ÿ	ÿ	ÿ	ÿ	ÿ	latin capital letter Y with diaeresis
U+02C6	ISO pub	ˆ	^	^	^	^	modifier letter circumflex accent
U+02DC	ISO dia	˜	~	~	~	~	small tilde
U+2002	ISO pub	 					en space
U+2003	ISO pub	 					em space
U+2009	ISO pub	 					thin space
U+200C	RFC 2070	‌					zero width non-joiner
U+200D	RFC 2070	‍					zero width joiner
U+200E	RFC 2070	&lm;	◻	◻	◻	◻	left-to-right mark
U+200F	RFC 2070	‏	◻	◻	◻	◻	right-to-left mark
U+2013	ISO pub	–	–	–	–	–	en dash
U+2014	ISO pub	—	—	—	—	—	em dash
U+2018	ISO num	‘	‘	‘	‘	‚	left single quotation mark
U+2019	ISO num	’	’	’	’	‚	right single quotation mark
U+201A		‚	‚	‚	‚	‚	single low-9 quotation mark
U+201C	ISO num	“	“	“	“	”	left double quotation mark
U+201D	ISO num	”	”	”	”	”	right double quotation mark

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+201E		„	”	”	”	”	double low-9 quotation mark
U+2020	ISOpub	†	†	†	†	†	dagger
U+2021	ISOpub	‡	‡	‡	‡	‡	double dagger
U+2030	ISOtech	‰	‰	‰	‰	‰	per mille sign
U+2039	ISO proposed	&lquo;	‹	‹	‹	‹	single left-pointing angle quotation mark
U+203A	ISO proposed	&rquo;	›	›	›	›	single right-pointing angle quotation mark
U+20AC		€	€	€	€	€	euro sign

Tabella u79.22. Entità HTML HTMLsymbol.

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+0192	ISOtech	ƒ	<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	latin small f with hook = function= florin
U+0391		Α	Α	Α	Α	Α	greek capital letter alpha
U+0392		Β	Β	Β	Β	Β	greek capital letter beta
U+0393	ISOgrk3	Γ	Γ	Γ	Γ	Γ	greek capital letter gamma
U+0394	ISOgrk3	Δ	Δ	Δ	Δ	Δ	greek capital letter delta
U+0395		Ε	Ε	Ε	Ε	Ε	greek capital letter epsilon
U+0396		Ζ	Ζ	Ζ	Ζ	Ζ	greek capital letter zeta
U+0397		Η	Η	Η	Η	Η	greek capital letter eta
U+0398	ISOgrk3	Θ	Θ	Θ	Θ	Θ	greek capital letter theta
U+0399		Ι	Ι	Ι	Ι	Ι	greek capital letter iota
U+039A		Κ	Κ	Κ	Κ	Κ	greek capital letter kappa
U+039B	ISOgrk3	Λ	Λ	Λ	Λ	Λ	greek capital letter lambda
U+039C		Μ	Μ	Μ	Μ	Μ	greek capital letter mu
U+039D		Ν	Ν	Ν	Ν	Ν	greek capital letter nu
U+039E	ISOgrk3	Ξ	Ξ	Ξ	Ξ	Ξ	greek capital letter xi

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+039F		Ο	Ο	Ο	Ο	Ο	greek capital letter omi- cron
U+03A0	ISOgrk3	Π	Π	Π	Π	Π	greek capital letter pi
U+03A1		Ρ	Ρ	Ρ	Ρ	Ρ	greek capital letter rho
U+03A3	ISOgrk3	Σ	Σ	Σ	Σ	Σ	greek capital letter sig- ma
U+03A4		Τ	Τ	Τ	Τ	Τ	greek capital letter tau
U+03A5	ISOgrk3	Υ	Υ	Υ	Υ	Υ	greek capital letter up- silon
U+03A6	ISOgrk3	Φ	Φ	Φ	Φ	Φ	greek capital letter phi
U+03A7		Χ	Χ	Χ	Χ	Χ	greek capital letter chi
U+03A8	ISOgrk3	Ψ	Ψ	Ψ	Ψ	Ψ	greek capital letter psi
U+03A9	ISOgrk3	Ω	Ω	Ω	Ω	Ω	greek capital letter omega
U+03B1	ISOgrk3	α	α	α	α	α	greek small letter alpha
U+03B2	ISOgrk3	β	β	β	β	β	greek small letter beta
U+03B3	ISOgrk3	γ	γ	γ	γ	γ	greek small letter gam- ma
U+03B4	ISOgrk3	δ	δ	δ	δ	δ	greek small letter delta
U+03B5	ISOgrk3	ε	ε	ε	ε	ε	greek small letter epsi- lon
U+03B6	ISOgrk3	ζ	ζ	ζ	ζ	ζ	greek small letter zeta
U+03B7	ISOgrk3	η	η	η	η	η	greek small letter eta
U+03B8		θ	θ	θ	θ	θ	greek small letter theta
U+03B9	ISOgrk3	ι	ι	ι	ι	ι	greek small letter iota
U+03BA	ISOgrk3	κ	κ	κ	κ	κ	greek small letter kappa
U+03BB	ISOgrk3	λ	λ	λ	λ	λ	greek small letter lamb- da
U+03BC	ISOgrk3	μ	μ	μ	μ	μ	greek small letter mu
U+03BD	ISOgrk3	ν	ν	ν	ν	ν	greek small letter nu
U+03BE	ISOgrk3	ξ	ξ	ξ	ξ	ξ	greek small letter xi
U+03BF		ο	ο	ο	ο	ο	greek small letter omi- cron
U+03C0	ISOgrk3	π	π	π	π	π	greek small letter pi
U+03C1	ISOgrk3	ρ	ρ	ρ	ρ	ρ	greek small letter rho

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+03C2	ISOgrk3	ς	ς	ς	ς	ς	greek small letter final sigma
U+03C3	ISOgrk3	σ	σ	σ	σ	σ	greek small letter sigma
U+03C4	ISOgrk3	τ	τ	τ	τ	τ	greek small letter tau
U+03C5	ISOgrk3	υ	υ	υ	υ	υ	greek small letter upsilon
U+03C6		φ	φ	φ	φ	φ	greek small letter phi
U+03C7	ISOgrk3	χ	χ	χ	χ	χ	greek small letter chi
U+03C8	ISOgrk3	ψ	ψ	ψ	ψ	ψ	greek small letter psi
U+03C9	ISOgrk3	ω	ω	ω	ω	ω	greek small letter omega
U+03D1		ϑ	ϑ	ϑ	ϑ	ϑ	greek small letter theta symbol
U+03D2		ϒ	ϒ	ϒ	ϒ	ϒ	greek upsilon with hook symbol
U+03D6	ISOgrk3	ϖ	ϖ	ϖ	ϖ	ϖ	greek pi symbol
U+2022	ISOpub	•	•	•	•	•	bullet = black small circle
U+2026	ISOpub	…	horizontal ellipsis = three dot leader
U+2032	ISOtech	′	'	'	'	'	prime = minutes = feet
U+2033	ISOtech	″	''	''	''	''	double prime = seconds = inches
U+203E		‾	-	-	-	-	overline = spacing overscore
U+2044		⁄	/	/	/	/	fraction slash
U+2118	ISOamso	℘	℘	℘	℘	℘	script capital P = power set = Weierstrass p
U+2111	ISOamso	ℑ	ℑ	ℑ	ℑ	ℑ	blackletter capital I = imaginary part
U+211C	ISOamso	ℜ	ℜ	ℜ	ℜ	ℜ	blackletter capital R = real part symbol
U+2122	ISOnum	™	™	™	™	™	trade mark sign
U+2135		ℵ	ℵ	ℵ	ℵ	ℵ	alef symbol = first transfinite cardinal
U+2190	ISOnum	←	←	←	←	←	leftwards arrow
U+2191	ISOnu	↑	↑	↑	↑	↑	upwards arrow

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+2192	ISOnum	→	→	→	→	→	rightwards arrow
U+2193	ISOnum	↓	▼	▼	▼	▼	downwards arrow
U+2194	ISOamsa	↔	↔	↔	↔	↔	left right arrow
U+21B5		↵	↵	↵	↵	↵	downwards arrow with corner leftwards = carriage return
U+21D0	ISOtech	⇐	⇐	⇐	⇐	⇐	leftwards double arrow
U+21D1	ISOamsa	⇑	↑	↑	↑	↑	upwards double arrow
U+21D2	ISOtech	⇒	⇒	⇒	⇒	⇒	rightwards double arrow
U+21D3	ISOamsa	⇓	⇓	⇓	⇓	⇓	downwards double arrow
U+21D4	ISOamsa	⇔	⇔	⇔	⇔	⇔	left right double arrow
U+2200	ISOtech	∀	∀	∀	∀	∀	for all
U+2202	ISOtech	∂	∂	∂	∂	∂	partial differential
U+2203	ISOtech	∃	∃	∃	∃	∃	there exists
U+2205	ISOamso	∅	∅	∅	∅	∅	empty set = null set = diameter
U+2207	ISOtech	∇	∇	∇	∇	∇	nabla = backward difference
U+220A	ISOtech	∈	□	□	□	□	element of
U+2209	ISOtech	∉	∉	∉	∉	∉	not an element of
U+220D	ISOtech	∋	□	□	□	□	contains as member
U+220F	ISOamsb	∏	∏	∏	∏	∏	n-ary product = product sign
U+2211	ISOamsb	∑	∑	∑	∑	∑	n-ary sumation
U+2212	ISOtech	−	-	-	-	-	minus sign
U+2217	ISOtech	∗	*	*	*	*	asterisk operator
U+221A	ISOtech	√	√	√	√	√	square root = radical sign
U+221D	ISOtech	∝	∝	∝	∝	∝	proportional to
U+221E	ISOtech	∞	∞	∞	∞	∞	infinity
U+2220	ISOamso	∠	∠	∠	∠	∠	angle
U+2227	ISOtech	∧	∧	∧	∧	∧	logical and = wedge
U+2228	ISOtech	∨	∨	∨	∨	∨	logical or = vee

Pun- to di co- difica	Standard	Macro SGML					Descrizione
U+2229	ISOtech	∩	\cap	\cap	\cap	\cap	intersection = cap
U+222A	ISOtech	∪	\cup	\cup	\cup	\cup	union = cup
U+222B	ISOtech	∫	\int	\int	\int	\int	integral
U+2234	ISOtech	∴	\therefore	\therefore	\therefore	\therefore	therefore
U+223C	ISOtech	∼	\sim	\sim	\sim	\sim	tilde operator = varies with = similar to
U+2245	ISOtech	≅	\cong	\cong	\cong	\cong	approximately equal to
U+2248	ISOamstr	≈	\asymp	\asymp	\asymp	\asymp	almost equal to = asymptotic to
U+2260	ISOtech	≠	\neq	\neq	\neq	\neq	not equal to
U+2261	ISOtech	≡	\equiv	\equiv	\equiv	\equiv	identical to
U+2264	ISOtech	≤	\leq	\leq	\leq	\leq	less-than or equal to
U+2265	ISOtech	≥	\geq	\geq	\geq	\geq	greater-than or equal to
U+2282	ISOtech	⊂	\subset	\subset	\subset	\subset	subset of
U+2283	ISOtech	⊃	\supset	\supset	\supset	\supset	superset of
U+2284	ISOamsn	⊄	$\not\subset$	$\not\subset$	$\not\subset$	$\not\subset$	not a subset of
U+2286	ISOtech	⊆	\subseteq	\subseteq	\subseteq	\subseteq	subset of or equal to
U+2287	ISOtech	⊇	\supseteq	\supseteq	\supseteq	\supseteq	superset of or equal to
U+2295	ISOamsb	⊕	\oplus	\oplus	\oplus	\oplus	circled plus = direct sum
U+2297	ISOamsb	⊗	\otimes	\otimes	\otimes	\otimes	circled times = vector product
U+22A5	ISOtech	⊥	\perp	\perp	\perp	\perp	up tack = orthogonal to = perpendicular
U+22C5	ISOamsb	⋅	\cdot	\cdot	\cdot	\cdot	dot operator
U+2308	ISOamsc	⌈	\lceil	\lceil	\lceil	\lceil	left ceiling = apl upstile
U+2309	ISOamsc	⌉	\rceil	\rceil	\rceil	\rceil	right ceiling
U+230A	ISOamsc	⌊	\lfloor	\lfloor	\lfloor	\lfloor	left floor = apl downsti- le
U+230B	ISOamsc	⌋	\rfloor	\rfloor	\rfloor	\rfloor	right floor
U+2329	ISOtech	⟨	\langle	\langle	\langle	\langle	left-pointing angle bracket = bra
U+232A	ISOtech	⟩	\rangle	\rangle	\rangle	\rangle	right-pointing angle bracket = ket
U+25CA	ISOpub	◊	\diamond	\diamond	\diamond	\diamond	lozenge

Punto di codifica	Standard	Macro SGML					Descrizione
U+2660	ISOpub	♠	♠	♠	♠	♠	black spade suit
U+2663	ISOpub	♣	♣	♣	♣	♣	black club suit = shamrock
U+2665	ISOpub	♥	♥	♥	♥	♥	black heart suit = valentine
U+2666	ISOpub	♦	♦	♦	♦	♦	black diamond suit

Riferimenti



- *Unicode home page*
<http://www.unicode.org/>
- *Unicode character database*
<http://www.unicode.org/Public/UNIDATA/>
- Vidar Bronken Gundersen, Rune Mathisen, *SGML/XML character entity reference*
<http://www.bitjungle.com/isoent/>

